

**MINUTES  
WORCESTER TOWNSHIP BOARD OF SUPERVISORS  
BUSINESS MEETING  
WORCESTER TOWNSHIP COMMUNITY HALL  
FEBRUARY 21, 2024 - 7:00 PM**

**CALL TO ORDER**

- **ANNOUNCEMENTS:**  
**The meeting was called to order at 7:07**

The Township Manager announced the meeting would be recorder for future broadcast, and that the Board of Supervisors met in executive session on:

- 1/24/2023 to discuss litigation.
- 2/1/2024 to discuss personnel.
- 2/19/2024 to discuss personnel, litigation, and real estate.

**PLEDGE OF ALLEGIANCE**

**ATTENDANCE**

All members of the Board of Supervisors were present.

**INFORMATIONAL ITEMS**

The Township manager announced he recently attended a public meeting held by Skippack EMS Service. The meeting discussed financial constraints faced by Skippack EMS.

**OFFICIAL ACTION ITEMS**

Supervisor DeLello made a motion to amend the agenda one to reduce the DJ Pinciotti construction company to \$65,207.70. The motion was seconded by Supervisor Betz. Passed unanimously.

Supervisor DeLello made a motion to move the waver of land development that was under public hearing to Other Business. The motion was seconded by Supervisor Betz. Passed unanimously.

**PUBLIC COMMENT**

Christopher DePaul Whitehall Farms 1616 Whitehall Rd. inquired about the status of a permit for his property.

Supervisor DeLello thanked Mr. DePaul for the comment and offered to investigate the matter.

Supervisor Quigley recommended that the response be timely as contractors were probably waiting.

Bob Andorn of Worcester Township spoke regarding documentation for the Township's 2024 Budget. Mr. Andorn questioned the amount of money in the Sewer Fund.

Supervisor DeLello addressed the sewer fund question addressing that the township received ARPA funds for capital improvements. He also addressed the documentation surrounding the budget acknowledging that he had the correct information.

Supervisor Quigley commented regarding the Meadowood Pump Station failure and the insurance claim related to the incident.

1. A motion to approve the consent agenda was made by Supervisor Betz with corrections to the January 17<sup>th</sup> meeting minutes to include comments made concerning an outside financial audit, to address Mr. Andorn's budget concerns. Seconded by Supervisor Quigley. The motion passed unanimously.

## **MOTION**

- a) Mr. Halbom summarized the motion, which requires uniform color coding of Fire Hydrants.

Supervisor Betz made a motion to authorize preparation and advertisement of an amendment to Chapter 41 – Fire Prevention – of the Township Code. The motion was seconded by Supervisor Quigley. Approved unanimously.

- b) Mr. Evarts summarized the work which is taking place on Weber Road. The work requires replacement of a gas line and changes associated with the work.

Supervisor Betz made a motion to authorize payment to DJ Pinciotti Construction Co, Inc. in the amount of \$65,207.70, for the Weber Road Culvert Replacement, Contract number 7200-204A. The motion was seconded by Supervisor Quigley. Approved unanimously.

- c) Mr. Evarts summarized the change order and the reasons for the delay. Mr. Evarts confirmed the Township would seek reimbursement from PECO.

Supervisor Betz made a motion to authorize a change order in the amount of \$29,602.00 to DJ Pinciotti Construction Co, Inc. for bypass pumping items listed on Page 3 of the CKS Memo. The motion was seconded by Supervisor Quigley. Approved unanimously.

## **RESOLUTIONS**

Township Engineer John Evarts gave background on the grant which would provide for 1,100 linear feet of stream bank restoration. A motion was made by Supervisor Betz to approve Resolution 2024-06: A Resolution concerning application for grant revenue from the Montgomery County 2040 Grant in the amount of \$350,000. Vice-Chair Betz motioned to approve Resolution 2024-06: concerning application for MontCo 2040 Grant Funds. Supervisor Quigley Seconded the motion. Approved unanimously.

## **PUBLIC HEARINGS**

Conditional Use Application: Variety Club, 2950 Potshop Road – Seeking Athletic Field Lights.

The Board of Supervisors reopened the continued Public Hearing at 7:40PM

The Board of Supervisors resumed the Public Meeting at: 8:55PM

## **OTHER BUSINESS**

Mark Jonas representing Variety Club spoke about the request for a Waiver of Land Development.

Supervisor DeLello expressed concern regarding the availability of parking on site.

Supervisor Betz echoed the concern for parking, specifically safety concerns related to potential roadside parking along Potshop Road. Mr. Evarts was asked by the Board to summarize his review letter.

Mr. Bowker, a representative for Variety summarized the phases of the project and read through the waiver list including:

Partial waiver of land development

Relief for materials of stormwater pipes

Relief for cartway width along Potshop Road

Deferral of sidewalk improvements

Deferral of sidewalk ADA/curbing improvements

Relief for buffer requirements along roadways.

Relief for additional buffer on western side of property where buffer already exists.

Supervisor DeLello Suggested deferment on both the sidewalk and curbing waivers if those were ever to arrive in the area.

John Evarts confirmed CKS believes the buffers are sufficient for the purposes of the ordinance.

Supervisor DeLello confirmed that Variety would be able to comply with the review letter written by the township engineer.

Supervisor Betz made the motion to approve Resolution 2024-07, A Resolution providing a limited waiver of land development to the Variety Club, 2950 Potshop Road, as described by the Township solicitor and subject to the following conditions:

- Compliance with the CKS Engineer Review letter dated February 13, 2024.
- Compliance with the Bowman Traffic Review Letter dated Feb 14, 2024.
- A Development Agreement providing for the posting of financial security attending to the sanitary sewer and stormwater improvements in form satisfactory to the Township solicitor and Township Engineer shall be executed before recording the plan.
- There shall be No Parking along road frontage. The Township shall retain the ability to require the applicant take steps to remediate parking problems identified by the Township. Remediation steps may include – by way of example – requirements to install additional parking facilities, restrictions on the number of games at the facility hosted per day or staggering of game schedules.
- A waiver from section 130-16(b)a1-6 (minimum cartway width)
- A deferral from sidewalk installation until required by Township.
- A deferral from 130-18(b) (curbing), until required by Township.
- A waiver 130-128G(5), to not provide a softening buffer

- A waiver of 130-128G(5), where an existing buffer already exists.
- A waiver of 129-18 (2)(3), to allow for HDPE in place of Concrete pipes.

The motion was seconded by Supervisor Quigley. It passed unanimously.

### **BOARD COMMENT**

Supervisor Betz revisited the issue of budget documents.

### **PUBLIC COMMENT**

There was no public comment.

### **ADJOURNMENT**

The meeting was adjourned at 9:18 PM.

DRAFT

### UPCOMING MEETINGS

Zoning Hearing Board Meeting

Monday, March 25

5:30 PM

*\* Meeting to be held at the Township Building, 1721 Valley Forge Road.*

**MINUTES**  
**WORCESTER TOWNSHIP BOARD OF SUPERVISORS**  
**WORKSHOP MEETING**  
**WORCESTER TOWNSHIP COMMUNITY HALL**  
**FEBRUARY 21, 2024 – 6:30 PM**

**CALL TO ORDER**

The meeting was called to order by Supervisor DeLello at 6:30 PM.

Supervisor Quigley was absent at the start of the meeting.

**Announcements**

The Township Manager announced the meeting would be recorder for future broadcast, and that the Board of Supervisors met in executive session on:

- 1/24/2023 to discuss litigation.
- 2/1/2024 to discuss personnel.
- 2/19/2024 to discuss personnel, litigation, and real estate.

**Public Comment**

Carrol Otten 1640 Krebel Mill Road. Commented about a neighboring property landscaping their property absent permits. She cited several issues and concerns related to the work.

Supervisor DeLello responded that the Board would investigate the matter.

**Old Duchie Church**

The Township manager provided some background about the Old Dutchie Church property following the Township's acquisition of the property. He shared the renovations necessary would likely require a public bid process to identify contractors. He reported necessary renovations included new windows, doors, and shutters. The work would have to comply with historic standards to be eligible for certain grant revenue.

Jim Thompson, President of the Worcester Township Historical Society provided an update from the Historical Society. Jim called attention to the two existing buildings on the Historic Register in Worcester, Peter Wentz Farm and the Anthony Morris Building. He offered there was value in registering the Old Dutchie Church. Jim echoed the difficulties identifying qualified carpenters to perform historic work.

Mr. Thompson gave information about the history of the buildings, and he also described the difficulty the Historical Society had holding events at the church, specifically due to parking constraints.

Supervisor DeLello discussed the possibility of connecting the trail system to alleviate parking concerns. He also questioned the requirements to be on the National Register of Historic Places.

Mr. Thompson described some renovation work done in 2006. The Board discussed some past renovations and past events held at the Church. The Board discussed the potential uses of the site with Jim Thompson and reviewed photos and aerials of the site and surrounding area.

The Board agreed to further the discussion and the property's role in the larger portfolio of Township properties. The Board directed staff to continue seeking out options for the identification of contractors and steps involved in bidding the work.

#### **Public Comment**

Christopher DePaul 1660 Whitehall: Chris drew the Board's attention to a list of vendors with the Philadelphia Historical Society.

The session was adjourned at 7:00 PM

TOWNSHIP OF WORCESTER

Statement of Revenue and Expenditures - Standard

*Revenue Account Range: First to Last*      *Include Non-Anticipated: No*      *Year To Date As Of: 02/29/24*  
*Expend Account Range: First to Last*      *Include Non-Budget: No*      *Current Period: 02/01/24 to 02/29/24*  
*Print Zero YTD Activity: No*      *Prior Year: Thru 12/31/23*

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
001-301-100-000	Property Taxes- Current	50,576.05	43,990.00	5,157.69	5,473.60	38,516.40 -	12
001-301-500-000	Property Taxes- Liened	785.07	500.00	24.40	29.70	470.30 -	6
001-301-600-000	Property Taxes- Interim	872.82	200.00	14.16	85.89	114.11 -	43
<b>301 Total</b>		<b>52,233.94</b>	<b>44,690.00</b>	<b>5,196.25</b>	<b>5,589.19</b>	<b>39,100.81 -</b>	<b>12</b>
001-310-030-000	Per Capita Taxes- Delinquent	113.30	120.00	14.30	30.80	89.20 -	26
001-310-100-000	Real Estate Transfer Taxes	673,784.13	250,000.00	28,227.23	52,933.09	197,066.91 -	21
001-310-210-000	Earned Income Taxes	2,900,161.71	3,400,000.00	591,375.87	723,752.82	2,676,247.18 -	21
001-310-220-000	Earned Income Taxes- Prior Year	0.00	25.00	0.00	0.00	25.00 -	0
<b>310 Total</b>		<b>3,574,059.14</b>	<b>3,650,145.00</b>	<b>619,617.40</b>	<b>776,716.71</b>	<b>2,873,428.29 -</b>	<b>21</b>
001-321-800-000	Franchise Fees	157,333.92	188,000.00	52,071.79	52,071.79	135,928.21 -	28
001-322-820-000	Road Opening Permits	901.00	300.00	0.00	0.00	300.00 -	0
001-322-900-000	Sign Permits	167.50	100.00	0.00	0.00	100.00 -	0
001-322-920-000	Solicitation Permits	532.00	500.00	0.00	0.00	500.00 -	0
<b>322 Total</b>		<b>1,600.50</b>	<b>900.00</b>	<b>0.00</b>	<b>0.00</b>	<b>900.00 -</b>	<b>0</b>
001-331-120-000	Ordinance Violations	2,492.14	1,600.00	1,376.68	1,376.68	223.32 -	86
001-341-000-000	Interest Earnings	17,168.98	4,000.00	724.39	1,183.01	2,816.99 -	30
001-342-000-000	Rents & Royalties	22,627.62	21,167.37	1,821.51	3,543.02	17,624.35 -	17
001-342-120-000	Cell Tower Rental	178,718.64	165,900.00	7,242.56	22,094.04	143,805.96 -	13
<b>342 Rents &amp; Royalties</b>		<b>201,346.26</b>	<b>187,067.37</b>	<b>9,064.07</b>	<b>25,637.06</b>	<b>161,430.31 -</b>	<b>13</b>
001-355-010-000	Public Utility Realty Tax	3,384.33	3,384.33	0.00	0.00	3,384.33 -	0
001-355-040-000	Alcohol License Fees	600.00	600.00	0.00	0.00	600.00 -	0

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
001-355-050-000	General Municipal Pension State Aid	45,040.40	45,040.40	0.00	0.00	45,040.40 -	0
001-355-070-000	Volunteer Fire Relief Association	102,451.40	102,451.40	0.00	0.00	102,451.40 -	0
<b>355 Total</b>		<b>151,476.13</b>	<b>151,476.13</b>	<b>0.00</b>	<b>0.00</b>	<b>151,476.13 -</b>	<b>0</b>
001-361-300-000	Land Development Fees	750.00	3,000.00	0.00	0.00	3,000.00 -	0
001-361-330-000	Conditional Use Fees	1,000.00	900.00	0.00	0.00	900.00 -	0
001-361-340-000	Zoning Hearing Board Fees	15,300.00	16,150.00	0.00	0.00	16,150.00 -	0
001-361-500-000	Map And Publication Sales	0.00	5.00	0.00	0.00	5.00 -	0
<b>361 Total</b>		<b>17,050.00</b>	<b>20,055.00</b>	<b>0.00</b>	<b>0.00</b>	<b>20,055.00 -</b>	<b>0</b>
001-362-410-000	Building Permit Fees	114,654.08	75,000.00	8,036.12	18,947.24	56,052.76 -	25
001-362-420-000	Zoning Permit Fees	22,797.00	19,500.00	2,330.00	5,811.00	13,689.00 -	30
001-362-450-000	Commercial U&O Fees	400.00	200.00	100.00	100.00	100.00 -	50
001-362-460-000	Driveway Permit Fees	1,147.00	500.00	112.00	224.00	276.00 -	45
<b>362 Total</b>		<b>138,998.08</b>	<b>95,200.00</b>	<b>10,578.12</b>	<b>25,082.24</b>	<b>70,117.76 -</b>	<b>26</b>
001-367-408-000	Sports & Lesson Fees	1,903.00	3,000.00	0.00	0.00	3,000.00 -	0
001-367-420-000	Park Miscellaneous	13,019.75	13,400.00	3,681.25	3,681.25	9,718.75 -	27
<b>367 Total</b>		<b>14,922.75</b>	<b>16,400.00</b>	<b>3,681.25</b>	<b>3,681.25</b>	<b>12,718.75 -</b>	<b>22</b>
001-381-000-000	Miscellaneous Income	125,594.38	1,000.00	9,252.17	15,386.05	14,386.05	***
001-381-001-000	Service Charge Fees	312.59	225.00	1.83	33.02	191.98 -	15
<b>381 Miscellaneous Income</b>		<b>125,906.97</b>	<b>1,225.00</b>	<b>9,254.00</b>	<b>15,419.07</b>	<b>14,194.07</b>	<b>***</b>
001-383-200-000	Escrow Administration	1,320.00	880.00	110.00	330.00	550.00 -	38
001-395-000-000	Refund of Prior Year Expenditures	19,060.24 -	0.00	0.00	0.00	0.00	0
<b>Fund 001 Revenue Totals</b>		<b>4,436,848.57</b>	<b>4,361,638.50</b>	<b>711,673.95</b>	<b>907,087.00</b>	<b>3,454,551.50 -</b>	<b>20</b>

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-400-000-000	LEGISLATIVE BODY:	0.00	0.00	0.00	0.00	0.00	0
001-400-110-000	Legislative- Payroll	7,500.00	7,500.00	630.00	1,260.00	6,240.00	17
001-400-150-000	Legislative- Benefits	27,854.18	55,210.98	2,531.81	5,063.62	50,147.36	9
001-400-312-000	Legislative- Consultant Services	36,687.50	22,750.00	2,875.00	2,875.00	19,875.00	13
001-400-337-000	Legislative- Mileage Reimbursement	0.00	400.00	0.00	0.00	400.00	0
001-400-420-000	Legislative- Dues & Subscriptions	5,776.00	4,625.00	0.00	0.00	4,625.00	0
001-400-460-000	Legislative- Meetings & Seminars	3,480.49	5,175.00	1,597.00	1,597.00	3,578.00	31
	<b>400 LEGISLATIVE BODY:</b>	<b>81,298.17</b>	<b>95,660.98</b>	<b>7,633.81</b>	<b>10,795.62</b>	<b>84,865.36</b>	<b>11</b>
001-401-000-000	MANAGER:	0.00	0.00	0.00	0.00	0.00	0
001-401-120-000	Management- Payroll	208,096.00	219,000.00	10,384.62	20,769.24	198,230.76	9
001-401-150-000	Management- Benefits	51,246.62	53,257.20	2,050.86	4,674.90	48,582.30	9
001-401-312-000	Management- Consultant Services	4,000.00	9,950.00	0.00	0.00	9,950.00	0
001-401-321-000	Management- Mobile Phone	1,348.58	1,380.00	106.97	213.94	1,166.06	16
001-401-337-000	Management- Mileage Reimbursement	5,362.42	5,160.00	400.00	800.00	4,360.00	16
001-401-460-000	Management- Meetings & Seminars	7,218.53	7,260.00	907.67	1,072.67	6,187.33	15
	<b>401 MANAGER:</b>	<b>277,272.15</b>	<b>296,007.20</b>	<b>13,850.12</b>	<b>27,530.75</b>	<b>268,476.45</b>	<b>9</b>
001-402-000-000	FINANCIAL ADMINISTRATION:	0.00	0.00	0.00	0.00	0.00	0
001-402-120-000	Finance- Payroll	83,244.77	89,250.00	6,634.62	13,247.93	76,002.07	15
001-402-150-000	Finance- Benefits	40,848.33	54,592.47	2,772.60	8,181.93	46,410.54	15
001-402-321-000	Finance- Mobile Phone	225.00	300.00	25.00	50.00	250.00	17
001-402-337-000	Finance- Mileage Reimbursement	234.63	250.00	0.00	0.00	250.00	0
001-402-460-000	Finance- Meeting & Seminars	115.00	1,300.00	426.85	426.85	873.15	33
	<b>402 FINANCIAL ADMINISTRATION:</b>	<b>124,667.73</b>	<b>145,692.47</b>	<b>9,859.07</b>	<b>21,906.71</b>	<b>123,785.76</b>	<b>15</b>
001-403-000-000	TAX COLLECTION:	0.00	0.00	0.00	0.00	0.00	0
001-403-110-000	Tax Collection- Payroll	2,780.70	2,234.50	0.00	109.38	2,125.12	5

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-403-150-000	Tax Collection- Benefits	212.72	122.26	0.00	8.37	113.89	7
001-403-210-000	Tax Collection- Office Supplies	5,544.29	6,050.00	2,323.03	4,661.31	1,388.69	77
001-403-310-000	Tax Collection- Professional Services	36,912.34	37,400.28	6,292.50	7,584.93	29,815.35	20
	<b>403 TAX COLLECTION:</b>	<b>45,450.05</b>	<b>45,807.04</b>	<b>8,615.53</b>	<b>12,363.99</b>	<b>33,443.05</b>	<b>27</b>
001-404-000-000	LEGAL SERVICES:	0.00	0.00	0.00	0.00	0.00	0
001-404-310-000	Legal- General Services	279,943.05	180,000.00	33,634.34	33,634.34	146,365.66	19
001-404-320-000	Legal- RTK Services	0.00	12,000.00	0.00	0.00	12,000.00	0
	<b>404 LEGAL SERVICES:</b>	<b>279,943.05</b>	<b>192,000.00</b>	<b>33,634.34</b>	<b>33,634.34</b>	<b>158,365.66</b>	<b>18</b>
001-405-000-000	CLERICAL:	0.00	0.00	0.00	0.00	0.00	0
001-405-140-000	Clerical- Payroll	75,734.00	105,260.40	7,091.00	14,159.90	91,100.50	13
001-405-150-000	Clerical- Benefits	23,223.42	36,418.11	1,162.59	2,577.61	33,840.50	7
001-405-210-000	Clerical- Office Supplies	4,835.19	6,700.00	388.15	525.60	6,174.40	8
001-405-310-000	Payroll Services	12,077.80	13,500.00	934.36	1,910.97	11,589.03	14
001-405-321-000	Clerical- Telephone	4,139.02	4,893.00	0.00	281.84	4,611.16	6
001-405-325-000	Clerical- Postage	4,034.48	5,619.00	346.99	346.99	5,272.01	6
001-405-337-000	Clerical- Mileage Reimbursement	0.00	240.00	0.00	0.00	240.00	0
001-405-340-000	Clerical- Advertisement	4,314.94	6,900.00	0.00	102.73	6,797.27	1
001-405-460-000	Clerical- Meetings & Seminars	0.00	2,500.00	0.00	0.00	2,500.00	0
001-405-465-000	Clerical- Computer Expense	63,336.73	95,426.00	4,831.83	10,777.83	84,648.17	11
001-405-470-000	Clerical- Other Expense	11,502.76	14,370.00	1,068.58	1,973.42	12,396.58	14
	<b>405 CLERICAL:</b>	<b>203,198.34</b>	<b>291,826.51</b>	<b>15,823.50</b>	<b>32,656.89</b>	<b>259,169.62</b>	<b>11</b>
001-408-000-000	ENGINEERING SERVICES:	0.00	0.00	0.00	0.00	0.00	0
001-408-310-000	Engineering Services	63,567.74	41,250.00	6,754.29	6,754.29	34,495.71	16
001-409-000-000	GOVERNMENT BUILDINGS & PLANT:	0.00	0.00	0.00	0.00	0.00	0
001-409-136-000	Administration- Utilities	9,373.72	11,964.00	822.79	1,522.87	10,441.13	13

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-409-137-000	Administration- Maintenance & Repairs	13,868.89	19,416.00	1,234.64	2,031.99	17,384.01	10
001-409-142-000	Administration- Alarm Service	3,276.68	4,632.00	235.58	471.16	4,160.84	10
001-409-147-000	Administration- Other Expenses	992.61	2,520.00	27.48	566.51	1,953.49	22
001-409-236-000	Garage- Utilities	13,666.75	15,540.00	2,191.45	3,168.41	12,371.59	20
001-409-237-000	Garage- Maintenance & Repairs	9,800.67	12,732.00	752.59	1,374.74	11,357.26	11
001-409-242-000	Garage- Alarm Service	1,742.45	2,892.00	151.29	302.58	2,589.42	10
001-409-247-000	Garage- Other Expenses	1,124.88	1,740.00	106.35	645.37	1,094.63	37
001-409-436-000	Community Hall- Utilities	6,971.62	6,396.00	818.44	1,225.77	5,170.23	19
001-409-437-000	Community Hall- Maintenance & Repairs	5,303.80	6,960.00	261.74	620.22	6,339.78	9
001-409-447-000	Community Hall- Other Expenses	122.24	660.00	0.00	0.00	660.00	0
001-409-536-000	Historical Bldg- Utilities	3,020.48	5,352.50	1,117.49 -	1,073.94 -	6,426.44	20 -
001-409-537-000	Historical Bldg- Maintenance & Repairs	777.41	1,848.00	0.00	0.00	1,848.00	0
001-409-636-000	Hollow Rd Rental- Utilities	0.00	250.00	0.00	0.00	250.00	0
001-409-637-000	Hollow Rd Rental- Maintenance & Repairs	245.00	4,248.00	0.00	0.00	4,248.00	0
001-409-737-000	Springhouse- Maintenance & Repairs	0.00	1,000.00	0.00	0.00	1,000.00	0
001-409-836-000	Dutchy Church- Utilities	117.37	600.00	0.00	39.64	560.36	7
	<b>409 GOVERNMENT BUILDINGS &amp; PLANT:</b>	<b>70,404.57</b>	<b>98,750.50</b>	<b>5,484.86</b>	<b>10,895.32</b>	<b>87,855.18</b>	<b>11</b>
	<b>FIRE:</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0</b>
001-411-000-000	Fire Protection- Hydrant Rentals	20,107.95	30,849.00	959.83	967.09	29,881.91	3
001-411-380-000	Fire Protection- WVFD Contributions	386,352.40	467,847.40	356,696.00	356,696.00	111,151.40	76
	<b>411 FIRE:</b>	<b>406,460.35</b>	<b>498,696.40</b>	<b>357,655.83</b>	<b>357,663.09</b>	<b>141,033.31</b>	<b>72</b>
	<b>UCC &amp; CODE ENFORCEMENT:</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0</b>
001-413-000-000	Fire Marshal- Payroll	8,115.00	16,380.00	744.00	1,362.00	15,018.00	8
001-413-110-000	Fire Marshal- Benefits	5,061.48	5,694.71	422.91	833.47	4,861.24	15
001-413-110-150	Code Enforcement- Supplies	1,195.00	7,805.00	0.00	0.00	7,805.00	0
001-413-210-000	Code Enforcement- Consultant Services	62,645.00	82,990.80	4,284.00	4,284.00	78,706.80	5

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-413-321-000	Code Enforcement- Mobile Phone	262.86	300.00	27.53	55.06	244.94	18
001-413-337-000	Code Enforcement- Mileage Reimbursement	0.00	840.00	0.00	0.00	840.00	0
001-413-460-000	Code Enforcement- Meetings & Seminars	0.00	400.00	0.00	0.00	400.00	0
	<b>413 UCC &amp; CODE ENFORCEMENT:</b>	<b>77,279.34</b>	<b>114,410.51</b>	<b>5,478.44</b>	<b>6,534.53</b>	<b>107,875.98</b>	<b>6</b>
001-414-000-000	PLANNING & ZONING:	0.00	0.00	0.00	0.00	0.00	0
001-414-140-000	Zoning- Payroll	2,400.00	4,400.00	200.00	350.00	4,050.00	8
001-414-150-000	Zoning- Benefits	183.75	337.04	15.32	26.81	310.23	8
001-414-310-000	Zoning- Professional Services	14,114.00	11,400.00	1,165.00	1,467.00	9,933.00	13
001-414-313-000	Zoning- Engineering	0.00	1,500.00	0.00	0.00	1,500.00	0
001-414-314-000	Zoning- Legal	34,326.12	36,100.00	3,040.00	3,040.00	33,060.00	8
001-414-315-000	Zoning- Conditional Use	0.00	8,700.00	928.00	928.00	7,772.00	11
001-414-341-000	Zoning- Advertisement	4,063.25	4,725.00	353.24	353.24	4,371.76	7
001-414-460-000	Zoning- Meetings & Seminars	0.00	200.00	0.00	0.00	200.00	0
	<b>414 PLANNING &amp; ZONING:</b>	<b>55,097.12</b>	<b>67,362.04</b>	<b>5,701.56</b>	<b>6,165.05</b>	<b>61,196.99</b>	<b>9</b>
001-419-000-000	OTHER PUBLIC SAFETY:	0.00	0.00	0.00	0.00	0.00	0
001-419-242-000	PA One Call	2,801.16	2,580.00	315.27	315.27	2,264.73	12
001-430-000-000	PUBLIC WORKS - ADMIN:	0.00	0.00	0.00	0.00	0.00	0
001-430-140-000	Public Works- Payroll	507,620.52	602,837.46	40,391.44	83,630.15	519,207.31	14
001-430-150-000	Public Works- Benefits	264,482.47	354,015.27	18,960.76	47,986.81	306,028.46	14
001-430-238-000	Public Works- Uniforms	7,930.61	9,200.00	188.80	472.00	8,728.00	5
001-430-326-000	Public Works- Mobile phones	596.30	672.00	42.22	84.44	587.56	13
001-430-460-000	Public Works- Meetings & Seminars	270.00	1,900.00	120.00	120.00	1,780.00	6
001-430-470-000	Public Works- Other Expenses	1,977.00	1,615.00	0.00	715.00	900.00	44
	<b>430 PUBLIC WORKS - ADMIN:</b>	<b>782,876.90</b>	<b>970,239.73</b>	<b>59,703.22</b>	<b>133,008.40</b>	<b>837,231.33</b>	<b>14</b>
001-432-000-000	WINTER MAINTENANCE- SNOW REMOVAL:	0.00	0.00	0.00	0.00	0.00	0

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-432-200-000	Snow Removal- Materials	9,194.96	40,625.00	6,347.84	12,268.38	28,356.62	30
001-432-450-000	Snow Removal- Contractor	0.00	1,500.00	0.00	0.00	1,500.00	0
	<b>432 WINTER MAINTENANCE- SNOW REMOVA</b>	<b>9,194.96</b>	<b>42,125.00</b>	<b>6,347.84</b>	<b>12,268.38</b>	<b>29,856.62</b>	<b>29</b>
001-433-000-000	TRAFFIC CONTROL DEVICES:	0.00	0.00	0.00	0.00	0.00	0
001-433-313-000	Traffic Signal- Engineering	4,051.02	5,000.00	0.00	0.00	5,000.00	0
001-433-361-000	Traffic Signal- Electricity	4,891.65	4,740.00	14.17	14.17	4,725.83	0
001-433-374-000	Traffic Signal- Maintenance	11,636.14	11,400.00	0.00	0.00	11,400.00	0
	<b>433 TRAFFIC CONTROL DEVICES:</b>	<b>20,578.81</b>	<b>21,140.00</b>	<b>14.17</b>	<b>14.17</b>	<b>21,125.83</b>	<b>0</b>
001-437-000-000	REPAIRS OF TOOLS AND MACHINERY:	0.00	0.00	0.00	0.00	0.00	0
001-437-250-000	Machinery & Tools- Vehicle Maintenance	67,357.31	82,200.00	3,755.42	4,509.61	77,690.39	5
001-437-260-000	Machinery & Tools- Small Tools	4,199.26	16,000.00	1,037.57	1,216.39	14,783.61	8
	<b>437 REPAIRS OF TOOLS AND MACHINERY:</b>	<b>71,556.57</b>	<b>98,200.00</b>	<b>4,792.99</b>	<b>5,726.00</b>	<b>92,474.00</b>	<b>6</b>
001-438-000-000	ROADS & BRIDGES:	0.00	0.00	0.00	0.00	0.00	0
001-438-231-000	Gasoline	5,800.34	5,500.00	1,118.69	1,118.69	4,381.31	20
001-438-232-000	Diesel Fuel	20,439.17	28,300.00	2,790.65	3,753.39	24,546.61	13
001-438-242-000	Road Signs	2,582.80	3,000.00	0.00	49.06	2,950.94	2
001-438-245-000	Road Supplies	31,303.89	56,500.00	1,611.44	1,611.44	54,888.56	3
001-438-313-000	Engineering	18,086.33	25,000.00	0.00	0.00	25,000.00	0
001-438-370-000	Road Program- Contractor	0.00	13,500.00	0.00	0.00	13,500.00	0
	<b>438 ROADS &amp; BRIDGES:</b>	<b>78,212.53</b>	<b>131,800.00</b>	<b>5,520.78</b>	<b>6,532.58</b>	<b>125,267.42</b>	<b>5</b>
001-446-000-000	STORM WATER MANAGEMENT:	0.00	0.00	0.00	0.00	0.00	0
001-446-313-000	Stormwater Management- Engineering	5,882.91	37,000.00	0.00	0.00	37,000.00	0
001-452-000-000	PARTICIPANT RECREATION:	0.00	0.00	0.00	0.00	0.00	0
001-452-248-000	Camps & Sport Leagues	1,800.00	2,800.00	0.00	0.00	2,800.00	0

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
001-452-250-000	Community Day	0.00	13,000.00	0.00	0.00	13,000.00	0
001-452-520-000	Library	8,444.00	8,866.00	0.00	0.00	8,866.00	0
	<b>452 PARTICIPANT RECREATION:</b>	<b>10,244.00</b>	<b>24,666.00</b>	<b>0.00</b>	<b>0.00</b>	<b>24,666.00</b>	<b>0</b>
001-454-000-000	PARKS:	0.00	0.00	0.00	0.00	0.00	0
001-454-436-000	Heebner Park- Utilities	7,412.13	3,456.00	603.90	603.90	2,852.10	17
001-454-437-001	Heebner Park- Athletic Fields	6,375.93	15,800.00	299.00	299.00	15,501.00	2
001-454-437-002	Heebner Park- Expenses	6,444.85	8,000.00	0.00	0.00	8,000.00	0
001-454-438-001	Mount Kirk Park- Athletic Fields	638.00	3,700.00	0.00	0.00	3,700.00	0
001-454-438-002	Mount Kirk Park- Expenses	2,354.20	1,550.00	0.00	0.00	1,550.00	0
001-454-438-003	Mount Kirk Park- Utilities	1,930.73	1,050.00	124.94	402.36	647.64	38
001-454-439-001	Sunny Brook Park- Athletic Fields	1,379.02	4,700.00	0.00	0.00	4,700.00	0
001-454-439-002	Sunny Brook Park- Expenses	1,519.56	3,602.00	33.54	33.54	3,568.46	1
001-454-446-000	Sunny Brook Park- Utilities	1,543.20	1,860.00	502.10	502.10	1,357.90	27
001-454-470-000	Heyser Park- Horse Ring	0.00	500.00	0.00	0.00	500.00	0
001-454-471-000	Heyser Park- Expenses	65.29	350.00	0.00	0.00	350.00	0
001-454-480-000	Trail Expenses	4,380.71	2,850.00	432.79	432.79	2,417.21	15
001-454-490-000	Other Parks	2,191.29	9,320.00	200.07	412.82	8,907.18	4
	<b>454 PARKS:</b>	<b>36,234.91</b>	<b>56,738.00</b>	<b>2,196.34</b>	<b>2,686.51</b>	<b>54,051.49</b>	<b>5</b>
001-459-000-000	PUBLIC RELATIONS:	0.00	0.00	0.00	0.00	0.00	0
001-459-340-000	Public Relations- Community Newsletter	22,423.67	22,900.00	0.00	0.00	22,900.00	0
001-459-341-000	Public Relations- Other Communications	2,248.14	1,600.00	0.00	0.00	1,600.00	0
	<b>459 PUBLIC RELATIONS:</b>	<b>24,671.81</b>	<b>24,500.00</b>	<b>0.00</b>	<b>0.00</b>	<b>24,500.00</b>	<b>0</b>
001-481-000-000	EMPLOYER PAID BENEFITS AND WITHHOLDII	0.00	0.00	0.00	0.00	0.00	0
001-481-430-000	Inter Gov- Real Estate Taxes	0.00	0.00	1,023.80	1,023.80	1,023.80 -	0
001-486-000-000	INSURANCE:	0.00	0.00	0.00	0.00	0.00	0

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

<u>Expenditure Account</u>	<u>Description</u>	<u>Prior Yr Expd</u>	<u>Budgeted</u>	<u>Current Expd</u>	<u>YTD Expended</u>	<u>Unexpended</u>	<u>% Expd</u>
001-486-350-000	Insurances	102,547.80	129,619.40	0.00	22,104.00	107,515.40	17
001-492-300-000	Transfer To Capital Fund	2,444,235.79	934,956.73	0.00	0.00	934,956.73	0
	<b>Fund 001 Expenditure Totals</b>	<b>5,273,666.76</b>	<b>4,361,028.51</b>	<b>550,405.76</b>	<b>710,579.69</b>	<b>3,650,448.82</b>	<b>16</b>

<u>001 Fund</u>	<u>Prior</u>	<u>Current</u>	<u>YTD</u>
Revenues:	4,436,848.57	711,673.95	907,087.00
Expenditures:	5,273,666.76	550,405.76	710,579.69
Net Income:	836,818.19 -	161,268.19	196,507.31

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
008-341-000-000	Interest Earnings	61,072.33	10,000.00	5,617.56	11,250.56	1,250.56	113
008-364-110-000	Tapping Fees	76,545.50	48,577.62	5,199.92	11,606.72	36,970.90 -	24
008-364-120-000	Sewer Fees- Residential	580,832.18	599,148.56	21,735.99	144,785.49	454,363.07 -	24
008-364-130-000	Sewer Fees- Commercial	166,401.84	145,000.00	1,474.17	28,264.55	116,735.45 -	19
008-364-140-000	Late Fees	9,775.43	7,500.00	1,119.88	1,945.38	5,554.62 -	26
008-364-150-000	Certification Fees	925.00	1,000.00	50.00	75.00	925.00 -	8
	<b>364 Total</b>	<b>834,479.95</b>	<b>801,226.18</b>	<b>29,579.96</b>	<b>186,577.14</b>	<b>614,549.04 -</b>	<b>23</b>
008-381-000-000	Miscellaneous Income	0.00	25.00	395,907.88	395,907.88	395,882.88	***
008-395-000-000	Refund of Prior Year Expenditures	61.89	0.00	0.00	0.00	0.00	0
	<b>Fund 008 Revenue Totals</b>	<b>895,614.17</b>	<b>811,251.18</b>	<b>431,105.40</b>	<b>593,835.58</b>	<b>217,415.60 -</b>	<b>73</b>

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
008-429-000-000	WASTEWATER COLLECTION AND TREATMENT	0.00	0.00	0.00	0.00	0.00	0
008-429-242-000	Alarm Services	551.88	1,232.00	0.00	0.00	1,232.00	0
008-429-300-000	Other Expenses	195,942.71	197,520.00	25,117.01	41,876.66	155,643.34	21
008-429-313-000	Engineering	3,034.75	12,500.00	710.00	710.00	11,790.00	6
008-429-314-000	Legal	7,525.53	10,000.00	0.00	0.00	10,000.00	0
008-429-316-000	Plant Operations	87,422.75	89,434.80	7,472.50	7,472.50	81,962.30	8
008-429-321-000	Telephone	983.60	1,080.00	43.87	175.52	904.48	16
008-429-361-000	Utilities	159,850.04	138,288.00	11,406.51	11,406.51	126,881.49	8
008-429-374-000	Equipment & Repairs	13,838.46	27,852.00	630.09	630.09	27,221.91	2
008-429-421-001	Center Point- Operations	5,910.00	6,388.20	492.50	492.50	5,895.70	8
008-429-421-002	Center Point- Utilities & Repairs	7,623.97	7,272.00	568.47	631.24	6,640.76	9
008-429-422-001	Meadowood- Operations	6,605.25	6,388.20	492.50	492.50	5,895.70	8
008-429-422-002	Meadowood- Utilities & Repairs	4,192.31	6,660.00	336.86	378.63	6,281.37	6
008-429-423-001	Heritage Village- Operations	5,910.00	6,388.20	492.50	492.50	5,895.70	8
008-429-423-002	Heritage Village- Utilities & Repairs	4,042.12	6,648.00	527.35	614.00	6,034.00	9

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
008-429-424-001	Fawn Creek- Operations	6,013.00	6,388.20	1,437.50	1,437.50	4,950.70	22
008-429-424-002	Fawn Creek- Utilities & Repairs	3,750.21	5,652.00	339.57	381.37	5,270.63	7
008-429-425-001	Chadwick Place- Operations	5,910.00	6,388.20	492.50	492.50	5,895.70	8
008-429-425-002	Chadwick Place- Utilities & Repairs	3,119.42	5,520.00	376.07	417.84	5,102.16	8
008-429-426-001	Adair Pump- Operations	5,910.00	6,388.20	492.50	492.50	5,895.70	8
008-429-426-002	Adair Pump- Utilities & Repairs	3,314.63	4,680.00	363.01	451.01	4,228.99	10
008-429-700-000	Capital Improvements	1,230,849.87	67,800.00	10,470.55	10,470.55	57,329.45	15
	<b>429 WASTEWATER COLLECTION AND TREATM</b>	<b>1,762,300.50</b>	<b>620,468.00</b>	<b>62,261.86</b>	<b>79,515.92</b>	<b>540,952.08</b>	<b>13</b>
008-471-000-000	DEBT PRINCIPAL:	0.00	0.00	0.00	0.00	0.00	0
008-471-200-000	General Obligation Bond- Principal	130,000.00	130,000.00	0.00	0.00	130,000.00	0
008-472-000-000	DEBT INTEREST:	0.00	0.00	0.00	0.00	0.00	0
008-472-200-000	General Obligation Bond- Interest	38,376.26	41,431.26	0.00	0.00	41,431.26	0
008-475-000-000	Fiscal Agent Fees- 2016 Bond	1,050.00	1,100.00	0.00	0.00	1,100.00	0
008-486-000-000	INSURANCE:	0.00	0.00	0.00	0.00	0.00	0
008-486-350-000	Insurance Expense	5,001.20	6,689.50	0.00	6,689.50	0.00	100
	<b>Fund 008 Expenditure Totals</b>	<b>1,936,727.96</b>	<b>799,688.76</b>	<b>62,261.86</b>	<b>86,205.42</b>	<b>713,483.34</b>	<b>11</b>

008 Fund	Prior	Current	YTD
Revenues:	895,614.17	431,105.40	593,835.58
Expenditures:	1,936,727.96	62,261.86	86,205.42
Net Income:	1,041,113.79 -	368,843.54	507,630.16

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
030-341-000-000	Interest Earnings	820,335.39	960,000.00	73,074.72	153,161.16	806,838.84 -	16
030-354-351-000	Grants	802,455.00	382,000.00	0.00	0.00	382,000.00 -	0
030-363-100-000	Traffic Impact Fees	7,954.00	14,204.00	0.00	0.00	14,204.00 -	0
030-381-000-000	Miscellaneous Income	49,120.00	2,000.00	1,000.00	1,000.00	1,000.00 -	50
030-392-010-000	Transfer From General Fund	2,444,235.79	934,956.73	0.00	0.00	934,956.73 -	0
030-395-000-000	Refund of Prior Year Expenditures	600.00	0.00	0.00	0.00	0.00	0
	<b>Fund 030 Revenue Totals</b>	<b>4,124,700.18</b>	<b>2,293,160.73</b>	<b>74,074.72</b>	<b>154,161.16</b>	<b>2,138,999.57 -</b>	<b>6</b>
Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
030-405-000-000	SECRETARY/CLERK:	0.00	0.00	0.00	0.00	0.00	0
030-405-720-000	Office Equipment	3,229.05	32,000.00	0.00	2,149.50	29,850.50	7
030-409-000-000	GOVERNMENT BUILDINGS & PLANTS:	0.00	0.00	0.00	0.00	0.00	0
030-409-600-000	Building Improvements	29,410.42	38,300.00	525.00	1,636.89	36,663.11	4
030-430-600-000	Capital Roads	1,313,895.82	1,398,018.00	83,047.24	90,847.24	1,307,170.76	6
030-430-740-000	Equipment Purchases	111,997.24	514,710.62	111,442.00	111,442.00	403,268.62	22
	<b>430 Total</b>	<b>1,425,893.06</b>	<b>1,912,728.62</b>	<b>194,489.24</b>	<b>202,289.24</b>	<b>1,710,439.38</b>	<b>11</b>
030-433-600-000	Traffic Signs & Signals	0.00	15,300.00	0.00	0.00	15,300.00	0
030-454-600-000	Parks and Trails	214,565.24	674,800.00	14,525.91	15,840.82	658,959.18	2
030-454-710-000	Land Acquisition	800,441.06	31,000.00	177.29	177.29	30,822.71	1
	<b>454 Total</b>	<b>1,015,006.30</b>	<b>705,800.00</b>	<b>14,703.20</b>	<b>16,018.11</b>	<b>689,781.89</b>	<b>2</b>
030-472-200-000	Loan Interest	109,881.56	0.00	0.00	0.00	0.00	0
030-492-010-000	Transfer to General Fund	0.00	0.00	350,000.00	350,000.00	350,000.00 -	0
030-492-080-000	Transfer to Sewer Fund	574,659.31	0.00	0.00	0.00	0.00	0
	<b>492 Total</b>	<b>574,659.31</b>	<b>0.00</b>	<b>350,000.00</b>	<b>350,000.00</b>	<b>350,000.00 -</b>	<b>0</b>
	<b>Fund 030 Expenditure Totals</b>	<b>3,158,079.70</b>	<b>2,704,128.62</b>	<b>559,717.44</b>	<b>572,093.74</b>	<b>2,132,034.88</b>	<b>21</b>

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

030 Fund	Prior	Current	YTD
Revenues:	4,124,700.18	74,074.72	154,161.16
Expenditures:	3,158,079.70	559,717.44	572,093.74
Net Income:	966,620.48	485,642.72 -	417,932.58 -

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
035-341-000-000	Interest Earnings	14,282.34	5,000.00	289.92	600.36	4,399.64 -	12
035-355-020-000	Liquid Fuel Funds	364,920.35	359,353.93	0.00	0.00	359,353.93 -	0
	<b>Fund 035 Revenue Totals</b>	<b>379,202.69</b>	<b>364,353.93</b>	<b>289.92</b>	<b>600.36</b>	<b>363,753.57 -</b>	<b>0</b>

Expenditure Account	Description	Prior Yr Expd	Budgeted	Current Expd	YTD Expended	Unexpended	% Expd
035-438-000-000	ROADS & BRIDGES:	0.00	0.00	0.00	0.00	0.00	0
035-438-370-000	Road Maintenance Contractor	347,000.00	350,000.00	0.00	0.00	350,000.00	0
	<b>Fund 035 Expenditure Totals</b>	<b>347,000.00</b>	<b>350,000.00</b>	<b>0.00</b>	<b>0.00</b>	<b>350,000.00</b>	<b>0</b>

035 Fund	Prior	Current	YTD
Revenues:	379,202.69	289.92	600.36
Expenditures:	347,000.00	0.00	0.00
Net Income:	32,202.69	289.92	600.36

TOWNSHIP OF WORCESTER  
Statement of Revenue and Expenditures

Revenue Account	Description	Prior Yr Rev	Anticipated	Curr Rev	YTD Rev	Excess/Deficit	% Real
040-341-200-000	Interest Earnings Developers	1,237.32	0.00	106.88	221.40	221.40	0
	<b>Fund 040 Revenue Totals</b>	<b>1,237.32</b>	<b>0.00</b>	<b>106.88</b>	<b>221.40</b>	<b>221.40</b>	<b>0</b>
<b>040 Fund</b>							
			<b>Prior</b>	<b>Current</b>	<b>YTD</b>		
	Revenues:	1,237.32	106.88	221.40			
	Expenditures:	0.00	0.00	0.00			
	Net Income:	1,237.32	106.88	221.40			

Grand Totals	Prior	Current	YTD
Revenues:	9,837,602.93	1,217,250.87	1,655,905.50
Expenditures:	10,715,474.42	1,172,385.06	1,368,878.85
Net Income:	877,871.49 -	44,865.81	287,026.65

## **Public Works Department Report**

**February 2024**

### **1) Road Maintenance**

- A. Cleared inlets and drains throughout the Township**
- B. Filled potholes throughout the Township**
- C. Weber Road Culvert – Existing structure removed; PECO gas main relocation underway.**
- D. Adding stone to roadway edge erosion areas**

### **2) Storm Maintenance**

- A. 2.13.24 Snow event requiring after hours roadway cleanup**
- B. 2.17.24 Snow event requiring after hours roadway cleanup**

### **3) Parks**

- A. Twice weekly cleaning of restrooms, emptying trash receptacles, and stocking dog bags**
- B. Repairing washouts and general trail maintenance**
- C. Removal of dead trees on Township properties/parks**
- D. Sunnybrook restrooms paint project**
- E. Power Washing of pavilions**
- F. Riparian buffer cleanup**

### **4) Vehicle Maintenance**

- A. Performed weekly maintenance of all Township vehicles**
- B. Prepping of vehicles/equipment for winter maintenance**
- C. 64-42 Plow electrical repairs**
- D. 64-25 Ignition repair**
- E. 64-60 Inspection**
- F. 64-66 Inspection**
- G. 64-42 Coolant leak**
- H. 64-38 Electrical repair (safety switch)**

### **5) Miscellaneous**

- A. Setting up and cleaning of Community Hall for rentals and Township events**
- B. Nike Compost facility open to residents twice weekly**
- C. Public Works – WVFD training**
- D. Public Works garage lighting upgrades**



**MEMORANDUM**

**TO:** Worcester Township Board of Supervisors  
**FROM:** John W. Evarts, P.E., Township Engineer  
**DATE:** March 14, 2024  
**SUBJECT:** Engineering Report - Project Status

---

This memorandum will provide an update and status report on the various projects that are ongoing within the Township as of January 10, 2024.

1. **Turnpike Sound Barriers Grant Project (No Change):** The pre-construction meeting for the project was held on February 1, 2022. The Notice to Proceed was issued and the project is scheduled for September 2022 completion. All submittals have now been approved and the panels and steel posts are in production. Construction has started. All occasions are installed, and the panel installation is now complete. Final site restoration is underway. Project is now complete. Final Grant submission due June 30, 2023. Documentation was provided to The Commonwealth Financing Authority on July 6, 2023 for reimbursement.
2. **Valley Green WWTP Filter Project (No Change):** The contracts for the Tertiary Filter Project have been awarded. The new filter has been ordered and is ready for delivery. We continue with reviewing submittals for the project. Construction on the building and the filter installation is nearing completion. Filter is now in operation and working well. Electrical contractors need to complete work. Electrical panel has been received and work is anticipated to be completed in September. Final inspection complete and contractor has a small punch list to complete. Project is complete and 12-Month Maintenance Period has begun.
3. **Evansburg Park Trail:** The revised trail location has been approved. CKS has completed the additional field survey work due to the changes. We are proceeding with the plan preparation, and we are coordinating this project with the Township, and the Township's traffic engineer. We are working on the trail design and the pedestrian bridge. McMahon will design the Kratz Road Crossing. We are coordinating the final trail location within the park. Coordination with PennDOT and Evansburg Park on the road crossing. Meeting with MCCD held on June 12, 2023. Trail design continues along with coordination with outside agencies and Township Traffic engineer. CKS Engineers completed additional survey work on December 7, 2023. Ongoing coordination with PECO to determine the best pedestrian crossing locations.
4. **Storage Building at Compost Facility (No Change):** Bids will be opened on April 5, 2023 for a storage building at the Compost Facility at Nice Park. We will review and provide a recommendation to the Township. Contract is awarded. Township has

prepared site. Notice to Proceed has been issued. Contractor to deliver building materials to the site in the near future. Public works to observe construction of the building. CKS Engineers has reviewed and approved the shop drawings. The majority of work on the building has been completed. Last remaining item is for the contractor to install the doors. Work has been completed. Final payment has been requested by the contractor.

5. Weber Road Culvert Replacement: This contract has been awarded, and we are reviewing project submittals. Coordination with PECO and Contractor on going. Culvert was delivered in the second week of July and is currently being stored. A site meeting was held on November 8, 2023 to discuss the relocation of the PECO gas main. Work began on January 2, 2024. PECO to begin their portion of work to relocate gas main the week of January 8, 2024. The Township continues to work with PECO to relocate the gas main which has been more involved than originally planned for. Gas main work is also complete. Culvert is scheduled to be installed the week of March 18, 2024.
6. 2024 Roadway Improvement Project: CKS has prepared specifications and will be released for bidding on March 15, 2024 and opened on April 10, 2024
7. Miscellaneous Items
  - a. CKS Engineers assisted the Township on numerous zoning and land development related issues as requested during the month.
  - b. CKS Engineers performed various site inspections in conjunction with finalizing Use & Occupancy Permits during the month.
  - c. CKS Engineers reviewed numerous grading permit applications and storm-water applications for the Township during the month.
  - d. CKS Engineers continued to provide inspection services in conjunction with all ongoing land development and subdivision projects throughout the Township. This also included verifying completion of items and preparation of escrow releases for these projects, as requested.
  - e. CKS Engineers continues to assist in work required in conjunction with the review and approval of subdivisions and land developments and Conditional Use applications submitted to the Township. These currently include the Palmer Tract, Huginar property (under construction), the Dubner property (under review), Zacharczuk property (aka Bell Flower, under construction) and North Grange LLC, (Waiver of Land Development) and the Variety Club proposed Athletic Fields (Conditional Use and Potential Waiver of Land Development). There is also a project in the sketch plan phase for the property at 1570 Whitehall Road. A minor subdivision plan (Kerper Property) has also been reviewed and has been approved. There is a project in the sketch plan phase for the property at 1035 Troop Road (aka O'Donnell Property).

The above represents a status report on the projects and services currently being performed by CKS Engineers. Please contact me if you have any questions on any of these items.

Respectfully submitted,  
CKS ENGINEERS  
Township Engineers



John W. Evarts, P.E.

JWE/paf

cc: Sean Halbom, Township Manager  
Christian Jones, Assistant Township Manager  
Dustin Schreiber, Worcester Township  
MaryAnn Murray, Worcester Township  
File

# Worcester Township

1721 Valley Forge Road  
 Worcester PA 19490  
 Phone: 610-584-1410



# Permit Report - 02/01/2024 to 02/29/2024

Permit #	Applicant	Type	Const. Cost	UCC Fee	Issue Date	Lot Size (Sq. Ft.)	Lot #	Total Cost
----------	-----------	------	-------------	---------	------------	--------------------	-------	------------

## Building Permit

**B-2023-148** Building Permit \$0.00 \$4.50 2/29/2024 0.00 \$3,645.25

Contractor: Toll Mid-Atlantic L.P. Co., Inc. Description: New Single Family Dwelling

### Parcel Info:

Parcel Number: Location Address: 2620 Skippack Pike Zoning: Owner: TOLL MID-ATLANTIC LP COMPANY INC

**B-2023-339** Building Permit \$0.00 \$4.50 2/9/2024 0.00 \$157.50

Contractor: Anthony & Sylvan Corp. Pools Description: In Ground Swimming Pool

### Parcel Info:

Parcel Number: Location Address: 1440 REINER RD Zoning: Owner: ST GEORGE CHRISTOPHER K &

**B-2023-343** Building Permit \$0.00 \$4.50 2/1/2024 0.00 \$312.50

Contractor: Poseidons Custom Pools Description: Construction of In ground swimming pool.

### Parcel Info:

Parcel Number: Location Address: 2208 WEBER RD Zoning: Owner: GUNNING JOHN DAVID & SHARON RUPERT

**B-2023-347** Building Permit \$0.00 \$4.50 2/1/2024 0.00 \$2,943.91

Contractor: Cork County Homes, LLC Description: New SFD - Lot 3

### Parcel Info:

Parcel Number: Location Address: 2694 CAPRI LN Zoning: Owner: MCCALLION JAMES & LISA

**B-2024-13** Building Permit \$0.00 \$4.50 2/26/2024 0.00 \$2,230.38

Contractor: Mikelen LLC (DelGrippo Builders) Description: New SFD

### Parcel Info:

Parcel Number: Location Address: 1102 ARDEN DR Zoning: Owner: ARDEN RESERVE LLC

**B-2024-20** Building Permit \$0.00 \$4.50 2/1/2024 0.00 \$3,385.50

Contractor: MJ Contractor LLC Description: Install Eore grinder sewer pump system from side of home to Township street force main.

### Parcel Info:

Parcel Number: Location Address: 1804 GREEN BRIAR DR Zoning: Owner: DREHER DANA W & LAURA A

# Worcester Township

1721 Valley Forge Road  
Worcester PA 19490  
Phone: 610-584-1410



# Permit Report - 02/01/2024 to 02/29/2024

Permit #	Applicant	Type	Const. Cost	UCC Fee	Issue Date	Lot Size (Sq. Ft.)	Lot #	Total Cost
----------	-----------	------	-------------	---------	------------	--------------------	-------	------------

## Building Permit

**B-2024-21** Building Permit \$0.00 \$4.50 2/1/2024 0.00 \$102.50

Contractor: Efficient Electric

Description: Generator Installation

### Parcel Info:

Parcel Number: Location Address: 2583 COLD SPRING RD Zoning: Owner: GRISAFI JOSEPH L & SILBER KERIN M

**B-2024-22** Building Permit \$0.00 \$4.50 2/7/2024 0.00 \$274.50

Contractor: Mayer Pollock Steel Corp.

Description: Removal of 204,700 gallon tank and equipment.

### Parcel Info:

Parcel Number: Location Address: 2918 GERMANTOWN PIKE Zoning: Owner: SIGNORE DAVID J & ROBERT

**B-2024-24** Building Permit \$0.00 \$0.00 2/6/2024 0.00 \$100.00

Contractor: N/A

Description: New Tenant - Beauty Services - Jules Esthetics LLC

### Parcel Info:

Parcel Number: Location Address: 2933 GERMANTOWN PIKE Zoning: Owner: DT RENTAL GROUP LLC

**B-2024-25** Building Permit \$0.00 \$4.50 2/12/2024 0.00 \$779.60

Contractor: Casey Remodeling LLC

Description: Finish Basement

### Parcel Info:

Parcel Number: Location Address: 2598 HAWTHORN DR Zoning: Owner: GAO WEI & ZHANG LIFENG

**B-2024-26** Building Permit \$0.00 \$4.50 2/12/2024 0.00 \$154.50

Contractor: Dino Pellegrin

Description: Demolition of existing house and garage.

### Parcel Info:

Parcel Number: Location Address: 1046 GRANGE AVE Zoning: Owner: PELLEGRIN DINO

**B-2024-28** Building Permit \$0.00 \$4.50 2/23/2024 0.00 \$4,826.48

Contractor: Toll Mid-Atlantic L.P. Co., Inc.

Description: New SFD

### Parcel Info:

Parcel Number: Location Address: 2512 Severn Court Zoning: Owner:

# Worcester Township



1721 Valley Forge Road  
Worcester PA 19490  
Phone: 610-584-1410

# Permit Report - 02/01/2024 to 02/29/2024

Permit #	Applicant	Type	Const. Cost	UCC Fee	Issue Date	Lot Size (Sq. Ft.)	Lot #	Total Cost
----------	-----------	------	-------------	---------	------------	--------------------	-------	------------

## Building Permit

**B-2024-29** Building Permit \$0.00 \$4.50 2/23/2024 0.00 \$4,849.48

Contractor: Toll Mid-Atlantic L.P. Co., Inc. Description: New Single Family Dwelling

### Parcel Info:

Parcel Number: Location Address: 2511 Severn Court Zoning: Owner:

**B-2024-30** Building Permit \$0.00 \$4.50 2/14/2024 0.00 \$744.50

Contractor: Vinh Ngo Description: Residential Interior Alterations.

### Parcel Info:

Parcel Number: Location Address: 1836 BERKS RD Zoning: Owner: NGO BUILDERS INC

**B-2024-31** Building Permit \$0.00 \$4.50 2/21/2024 0.00 \$109.50

Contractor: Ryan and Sons General Contracting Description: Deck Extension

### Parcel Info:

Parcel Number: Location Address: 115 SHIRE DR Zoning: Owner: GROVER ARTHUR G AND ELIZABETH M

**B-2024-32** Building Permit \$0.00 \$4.50 2/23/2024 0.00 \$4,479.97

Contractor: Toll Mid-Atlantic L.P. Co., Inc. Description: New SFD Lot 13

### Parcel Info:

Parcel Number: Location Address: 2506 Severn Court Zoning: Owner:

**B-2024-33** Building Permit \$0.00 \$4.50 2/21/2024 0.00 \$89.50

Contractor: Moyer & Son, Inc Description: Gas Furnace Replacement

### Parcel Info:

Parcel Number: Location Address: 1760 HOLLOW RD Zoning: Owner: COOK DANIEL M & MARYROSE A

**B-2024-34** Building Permit \$0.00 \$4.50 2/21/2024 0.00 \$104.50

Contractor: MHX Designs LLC Description: Stucco to Hardie Siding

### Parcel Info:

Parcel Number: Location Address: 1686 WOOD BRIDGE LN Zoning: Owner: SCHMIDT GEORGE W & MARY ANN

# Worcester Township



1721 Valley Forge Road  
Worcester PA 19490  
Phone: 610-584-1410

# Permit Report - 02/01/2024 to 02/29/2024

Permit #	Applicant	Type	Const. Cost	UCC Fee	Issue Date	Lot Size (Sq. Ft.)	Lot #	Total Cost
----------	-----------	------	-------------	---------	------------	--------------------	-------	------------

## Building Permit

**B-2024-35** Building Permit \$0.00 \$4.50 2/29/2024 0.00 \$89.50

Contractor: Clyde S. Walton, Inc. Description: Replace oil tank.

### Parcel Info:

Parcel Number: Location Address: 1281 DELL RD Zoning: Owner: HOFFMAN KENNETH L JR & BEATRICE M

**B-2024-36** Building Permit \$0.00 \$4.50 2/21/2024 0.00 \$109.50

Contractor: Grone Construction LLC Description: Deck Extension 5' x 20'

### Parcel Info:

Parcel Number: Location Address: 206 CASPIAN LN Zoning: Owner: TRIMBORN DENISE T & PAUL J

**B-2024-38** Building Permit \$0.00 \$4.50 2/29/2024 0.00 \$102.50

Contractor: Hawke Electrical Inc. Description: Install 26KW Generator with NG and Electrical Work.

### Parcel Info:

Parcel Number: Location Address: 2959 POTSHOP RD Zoning: Owner: GOLDBLUM PHILIP D JR & ECKERT AMY M

**B-2024-39** Building Permit \$0.00 \$0.00 2/28/2024 0.00 \$100.00

Contractor: Description: Occupying Building 5 for a Tattoo Shop.

### Parcel Info:

Parcel Number: Location Address: 2933 GERMANTOWN PIKE Zoning: Owner: DT RENTAL GROUP LLC

**B-2024-40** Building Permit \$0.00 \$4.50 2/29/2024 0.00 \$89.50

Contractor: Sobieski Services LLC Description: Replace gas furnace.

### Parcel Info:

Parcel Number: Location Address: 45 BRISTOL CT Zoning: Owner: BAROT PURAV BALDEVBHAI

**B-2024-44** Building Permit \$0.00 \$4.50 2/29/2024 0.00 \$104.50

Contractor: Steelway Cellar Doors Description: Add egress window and excavate, cut into foundation and install a steel well basement egress with a 49.5" wide x 50" tall window.

### Parcel Info:

Parcel Number: Location Address: 2235 GLENVIEW DR Zoning: Owner: DOUGHERTY SCOTT C & COLETTE



# Worcester Township

1721 Valley Forge Road  
Worcester PA 19490  
Phone: 610-584-1410

# Permit Report - 02/01/2024 to 02/29/2024

Permit #	Applicant	Type	Const. Cost	UCC Fee	Issue Date	Lot Size (Sq. Ft.)	Lot #	Total Cost
----------	-----------	------	-------------	---------	------------	--------------------	-------	------------

## Building Permit

B-2024-46		Building Permit	\$0.00	\$4.50	2/29/2024	0.00		\$32.50
-----------	--	-----------------	--------	--------	-----------	------	--	---------

Contractor: Michelbacher Contracting Description: Replace existing 100 AMP Service

### Parcel Info:

Parcel Number: Location Address: 204 GRANT RD Zoning: Owner: COREN BENJAMIN L & HASKINS HOLLY

**Total Const. Cost: \$0.00 Total UCC Fee: \$103.50 Total Cost: \$29,918.07**

**Grand Total Const. Cost: \$0.00 Grand Total UCC Fee: \$103.50 Grand Total Cost: \$29,918.07**

# Worcester Volunteer Fire Department


Worcester, PA

This report was generated on 3/10/2024 5:41:35 PM



## Incidents by Shift for Date Range

Start Date: 02/01/2024 | End Date: 02/29/2024



SHIFT	# INCIDENTS
Fire	19

**TOTAL: 19**

Fire Call Average Attendance: 17.6

Call Man Hours: 262.62

FP Call Average Attendance: N/A

Drill Man Hours: 363:00

Drill Average Attendance: 41.25

Events: 0

Daytime Calls Twp Employes Assisted On: 7

Total Elapsed Time on Calls: 13:57:34

Incidents with multiple EXPOSURES, with distinct stations, may create a slight difference between the report total and total number of actual incidents for the DATE RANGE provided. The totals reflect the # INCIDENTS each STATION was assigned. Only REVIEWED incidents included.



# Worcester Volunteer Fire Department

Worcester, PA


This report was generated on 3/10/2024 6:07:05 PM



## Count of Incidents by Incident Type per Zone

Incident Status: Reviewed | Start Date: 02/01/2024 | End Date: 02/29/2024

% of Incidents per Zone



- 43 - PLYMOUTH
- 61 - EAST NORRITON
- 80 - UPPER GWYNEDD
- 83 - WORCESTER

INCIDENT TYPE	# INCIDENTS	% of TOTAL
<b>43 - PLYMOUTH</b>		
111 - Building fire	1	5.26%
Zone: 43 - PLYMOUTH Total Incident:	1	5.26%
<b>61 - EAST NORRITON</b>		
111 - Building fire	1	5.26%
Zone: 61 - EAST NORRITON Total Incident:	1	5.26%
<b>80 - UPPER GWYNEDD</b>		
111 - Building fire	1	5.26%
445 - Arcing, shorted electrical equipment	1	5.26%
Zone: 80 - UPPER GWYNEDD Total Incident:	2	10.53%
<b>83 - WORCESTER</b>		
111 - Building fire	1	5.26%
200 - Overpressure rupture, explosion, overheat other	1	5.26%
311 - Medical assist, assist EMS crew	1	5.26%
322 - Motor vehicle accident with injuries	3	15.79%
400 - Hazardous condition, other	1	5.26%
531 - Smoke or odor removal	1	5.26%
745 - Alarm system activation, no fire - unintentional	7	36.84%
Zone: 83 - WORCESTER Total Incident:	15	78.95%
<b>TOTAL INCIDENTS FOR ALL ZONES:</b>	<b>19</b>	<b>100%</b>

Report shows count of incidents for Status selected.



Skippack EMS  
February 2024 calls  
Worcester Township

Calls dispatched	49
Transported	33
Refusals	2
No services *	0
Fire	1
Covered by other squads (A station off status)	9
Lift assist	3

\* includes: accidental/false alarm for medical alert alarm, no patient found or police matters



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Number of Records Returned: 162

Search Criteria: which\_cad='P' and occ\_date between '02/01/2024' and '02/29/2024' and municipality='46226' and final\_case\_type<>'TS' and jurisdiction='PA'

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-01-2024	10:47:21	139075	PATROL CHECK CC	PATROL CHECK CC	VALLEY FORGE RD / HICKORY HILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-139075	CLOSED CAD CALL
Feb-01-2024	10:56:49	139116	DOMESTIC SECURITY CHECK - SCHOOL CC	DOMESTIC SECURITY CHECK - SCHOOL CC	KRIEBEL MILL RD / MILL RD [KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-139116	CLOSED CAD CALL
Feb-01-2024	13:10:44	139697	CHILDLINE	SEE OFFICER GO	1012 N GRANGE AVE WORCESTER TWP (MONTGOMERY)	Yes	2024-139697	GENERAL OFFENSE
Feb-02-2024	09:38:23	143349	PATROL CHECK CC	PATROL CHECK CC	VALLEY FORGE RD / HICKORY HILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-143349	CLOSED CAD CALL
Feb-02-2024	16:45:32	145142	THEFT - FRAUD/FORGERY	IDENTITY THEFT	1655 KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-145142	GENERAL OFFENSE
Feb-02-2024	17:06:39	145251	REQUEST ASSIST - OTHER AGENCY GO	REQUEST ASSIST - LOCAL PD GO	UMBRELL DR / TAMARACK CIR [3 TAMARACK CIR] WORCESTER TWP (MONTGOMERY)	Yes	2024-145251	GENERAL OFFENSE
Feb-02-2024	17:52:43	145445	911 HANG UP CALL GO	SEE OFFICER GO	2005 VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-145445	GENERAL OFFENSE
Feb-03-2024	02:31:01	146824	ALARM - BURGLAR	ALARM FALSE FAULT CC	2750 MORRIS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-146824	CLOSED CAD CALL
Feb-03-2024	12:48:59	148428	ALARM - BURGLAR	ALARM FALSE FAULT CC	2523 LONG MEADOW RD WORCESTER TWP (MONTGOMERY)	Yes	2024-148428	CLOSED CAD CALL
Feb-03-2024	13:29:12	148573	SEE OFFICER GO	THEFT - FRAUD/FORGERY	2208 OAK TER WORCESTER TWP (MONTGOMERY)	Yes	2024-148573	GENERAL OFFENSE
Feb-03-2024	15:42:12	149045	SEE OFFICER GO	SEE OFFICER GO	25 HAMPTON CT WORCESTER TWP (MONTGOMERY)	Yes	2024-149045	GENERAL OFFENSE
Feb-03-2024	17:00:57	149382	PATROL CHECK CC	PATROL CHECK CC	1400 BLOCK VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-149382	CLOSED CAD CALL
Feb-04-2024	00:57:35	150716	ALARM - BURGLAR	ALARM FALSE FAULT CC	1005 KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-150716	CLOSED CAD CALL
Feb-04-2024	06:23:32	151158	MVC - REPORTABLE, NO INJURIES	MVC - NON- REPORTABLE	SKIPPACK PIKE / N WHITEHALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-151158	TRACS CRASH REPORT
Feb-04-2024	07:06:02	151383	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	271 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-151383	CLOSED CAD CALL
Feb-04-2024	10:45:33	152110	ALARM - BURGLAR	ALARM FALSE FAULT CC	3270 HEEBNER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-152110	CLOSED CAD CALL
Feb-04-2024	11:19:29	152239	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	3209 BARLEY LN WORCESTER TWP (MONTGOMERY)	Yes	2024-152239	CANCELLED



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-04-2024	12:01:56	152389	ALARM - BURGLAR	ALARM FALSE FAULT CC	2261 OAK TER WORCESTER TWP (MONTGOMERY)	Yes	2024-152389	CLOSED CAD CALL
Feb-04-2024	15:56:46	153175	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	276 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-153175	CLOSED CAD CALL
Feb-04-2024	20:37:05	154050	SUICIDE - ATTEMPT OR THREAT	WELFARE CHECK GO	3359 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-154050	GENERAL OFFENSE
Feb-05-2024	07:39:45	155362	DISABLED MOTORIST ON ROAD CC	DISABLED MOTORIST CC	WATER STREET RD / N GRANGE AVE WORCESTER TWP (MONTGOMERY)	Yes	2024-155362	CLOSED CAD CALL
Feb-05-2024	10:49:27	156692	LOST ITEM - NON NCIC CC	LOST ITEM - NON NCIC CC	1909 N WHITEHALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-156692	CLOSED CAD CALL
Feb-05-2024	16:07:34	158064	MVC - NON- REPORTABLE	MVC - NON- REPORTABLE	S VALLEY FORGE RD / SHEARER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-158064	TRACS CRASH REPORT
Feb-05-2024	18:16:37	158634	PATROL CHECK CC	PATROL CHECK CC	1315 QUARRY HALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-158634	CLOSED CAD CALL
Feb-05-2024	19:16:53	158774	MVC - PRIVATE PROPERTY GO	MVC - PRIVATE PROPERTY GO	3008 W GERMANTOWN PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-158774	TRACS CRASH REPORT
Feb-05-2024	20:23:33	158985	MVC - NON- REPORTABLE	MVC - NON- REPORTABLE	N TROOPER RD / TOWNSHIP LINE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-158985	TRACS CRASH REPORT
Feb-06-2024	01:08:03	159535	PATROL CHECK CC	PATROL CHECK CC	2750 MORRIS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-159535	CLOSED CAD CALL
Feb-06-2024	13:22:15	162284	SEE OFFICER GO	SEE OFFICER GO	2568 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-162284	GENERAL OFFENSE
Feb-06-2024	13:53:49	162394	DOMESTIC SECURITY CHECK - SCHOOL CC	DOMESTIC SECURITY CHECK - SCHOOL CC	SKIPPACK PIKE / SHUTT MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-162394	CLOSED CAD CALL
Feb-06-2024	16:28:46	163158	DISABLED MOTORIST CC	DISABLED MOTORIST CC	TOWNSHIP LINE RD / N WHITEHALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-163158	CLOSED CAD CALL
Feb-06-2024	17:50:48	163495	MVC - NON- REPORTABLE	MVC - NON- REPORTABLE	3011 HEEBNER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-163495	TRACS CRASH REPORT
Feb-07-2024	08:59:14	165737	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	3209 BARLEY LN WORCESTER TWP (MONTGOMERY)	Yes	2024-165737	CANCELLED
Feb-07-2024	11:26:43	166543	POLICE INFORMATION CC	POLICE INFORMATION CC	3111 MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-166543	CLOSED CAD CALL
Feb-07-2024	12:21:55	166833	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	3209 BARLEY LN WORCESTER TWP (MONTGOMERY)	Yes	2024-166833	CANCELLED
Feb-07-2024	14:12:00	167361	INTERSTATE HIGHWAY - STATIONARY PATROL CC	INTERSTATE HIGHWAY - STATIONARY PATROL CC	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-167361	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-07-2024	15:35:26	167757	BUREAU OF LIQUOR CONTROL ENFORCEMENT CC	BUREAU OF LIQUOR CONTROL ENFORCEMENT CC	2960 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-167757	CLOSED CAD CALL
Feb-07-2024	16:04:26	167968	MVC - NON-REPORTABLE	REFER TO OTHER AGENCY - PD	BLUE FOX DR / MORRIS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-167968	REFER
Feb-07-2024	23:25:56	169472	INTERSTATE HIGHWAY - STATIONARY	INTERSTATE HIGHWAY - STATIONARY	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-169472	CLOSED CAD CALL
Feb-08-2024	07:58:14	170491	PATROL CC REQUEST ASSIST - OTHER AGENCY GO	PATROL CC REQUEST ASSIST - OTHER AGENCY GO	3238 W GERMANTOWN PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-170491	GENERAL OFFENSE
Feb-08-2024	08:49:57	170813	DOMESTIC SECURITY CHECK CC	DOMESTIC SECURITY CHECK CC	HEEBNER RD / SHEFLEY LN WORCESTER TWP (MONTGOMERY)	Yes	2024-170813	CLOSED CAD CALL
Feb-08-2024	09:10:09	170906	MVC - NON-REPORTABLE	MVC - REPORTABLE, NO INJURIES	SKIPPACK PIKE / WENTZ CHURCH RD WORCESTER TWP (MONTGOMERY)	Yes	2024-170906	TRACS CRASH REPORT
Feb-08-2024	09:20:32	170959	DISABLED MOTORIST ON ROAD CC	DISABLED MOTORIST CC	N WALES RD / MORRIS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-170959	CLOSED CAD CALL
Feb-08-2024	09:26:15	170996	WELFARE CHECK GO	WELFARE CHECK GO	1716 VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-170996	GENERAL OFFENSE
Feb-08-2024	10:43:23	171391	POLICE INFORMATION CC	POLICE INFORMATION CC	VALLEY FORGE RD / W GERMANTOWN PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-171391	CLOSED CAD CALL
Feb-08-2024	12:44:41	171957	THEFT	THEFT	1266 QUARRY HALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-171957	GENERAL OFFENSE
Feb-08-2024	18:36:05	173429	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	3128 MORRIS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-173429	CLOSED CAD CALL
Feb-08-2024	19:36:16	173564	DISABLED MOTORIST CC	DISABLED MOTORIST CC	255 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-173564	CLOSED CAD CALL
Feb-10-2024	01:11:08	179392	MVC - HIT AND RUN, NO INJURIES	MVC - DUI - ALCOHOL & DRUGS	W GERMANTOWN PIKE / VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-179392	GENERAL OFFENSE
Feb-10-2024	10:39:37	180764	SEE OFFICER GO	SEE OFFICER GO	1441 N TROOPER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-180764	GENERAL OFFENSE
Feb-10-2024	11:32:21	180955	MVC - REPORTABLE, NO INJURIES	MVC - REPORTABLE, NO INJURIES	SKIPPACK PIKE / VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-180955	TRACS CRASH REPORT
Feb-10-2024	12:21:20	181110	DOMESTIC SECURITY CHECK CC	DOMESTIC SECURITY CHECK CC	VALLEY FORGE RD / HICKORY HILL RD [HEEBNER PARK WORCESTER TWP (MONTGOMERY)	Yes	2024-181110	CLOSED CAD CALL
Feb-10-2024	14:06:46	181509	PATROL CHECK CC	PATROL CHECK CC	3246 SKIPPACK PIKE [WENTZ UCCC WORCESTER TWP (MONTGOMERY)	Yes	2024-181509	CLOSED CAD CALL
Feb-10-2024	14:28:02	181568	SEE OFFICER GO	SEE OFFICER GO	1200 N GRANGE AVE WORCESTER TWP (MONTGOMERY)	Yes	2024-181568	GENERAL OFFENSE
Feb-10-2024	20:42:43	182916	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	3400 BLOCK MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-182916	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-11-2024	09:43:19	184845	DOMESTIC SECURITY CHECK CC	DOMESTIC SECURITY CHECK CC	VALLEY FORGE RD / HICKORY HILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-184845	CLOSED CAD CALL
Feb-11-2024	11:32:31	185237	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	267 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-185237	CLOSED CAD CALL
Feb-11-2024	16:07:30	186136	INTERSTATE HIGHWAY - STATIONARY PATROL CC	INTERSTATE HIGHWAY - STATIONARY PATROL CC	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-186136	CLOSED CAD CALL
Feb-11-2024	20:33:28	186775	TRAFFIC STOP CC	MOTOR CARRIER SAFETY CC	260 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-186775	WARNING (TRAFFIC STOP) CLOSED CAD CALL
Feb-11-2024	21:59:36	186931	INTERSTATE HIGHWAY - STATIONARY PATROL CC	INTERSTATE HIGHWAY - STATIONARY PATROL CC	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-186931	CLOSED CAD CALL
Feb-12-2024	10:11:12	189232	INTERSTATE HIGHWAY - STATIONARY PATROL CC	INTERSTATE HIGHWAY - STATIONARY PATROL CC	269 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-189232	CLOSED CAD CALL
Feb-12-2024	10:57:49	189500	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	257 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-189500	CLOSED CAD CALL
Feb-12-2024	12:20:11	189937	SEE OFFICER GO	CANCELLED BY COMPLAINANT X	2005 S VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-189937	CANCELLED
Feb-12-2024	15:24:51	190800	TRAFFIC STOP CC	MOTOR CARRIER SAFETY CC	255 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-190800	WARNING (TRAFFIC STOP) GENERAL OFFENSE
Feb-13-2024	06:24:07	193320	MISSING PERSON	ATTEMPT LOCATE PERSON - VEHICLE GO	3022 MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-193320	GENERAL OFFENSE
Feb-13-2024	07:25:02	193977	MVC - NON-REPORTABLE	MVC - NON-REPORTABLE	VALLEY FORGE RD / STUMP HALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-193977	TRACS CRASH REPORT
Feb-13-2024	08:42:49	194799	DISABLED MOTORIST CC	DISABLED MOTORIST CC	S VALLEY FORGE RD / EMERGENCY ACCESS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-194799	CLOSED CAD CALL
Feb-13-2024	09:10:34	195040	MVC - INJURIES	MVC - INJURIES	2634 MORRIS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-195040	TRACS CRASH REPORT
Feb-13-2024	10:20:08	195553	MVC - REPORTABLE, NO INJURIES	MVC - NON-REPORTABLE	130 BRINDLE CT WORCESTER TWP (MONTGOMERY)	Yes	2024-195553	TRACS CRASH REPORT
Feb-13-2024	10:35:29	195650	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	255 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-195650	CLOSED CAD CALL
Feb-13-2024	11:21:31	195903	ROAD CONDITIONS - ALERT CONDITION W CC	ROAD CONDITIONS - ALERT CONDITION W CC	SKIPPACK PIKE / ASPEN WAY WORCESTER TWP (MONTGOMERY)	Yes	2024-195903	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-13-2024	12:26:01	196260	PATROL CHECK CC	PATROL CHECK CC	VALLEY FORGE RD / DEFFORD RD WORCESTER TWP (MONTGOMERY)	Yes	2024-196260	CLOSED CAD CALL
Feb-13-2024	12:38:21	196327	DISABLED MOTORIST ON ROAD CC	DISABLED MOTORIST ON ROAD CC	SKIPPACK PIKE / BERKS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-196327	CLOSED CAD CALL
Feb-14-2024	11:08:03	200419	DRUG - POSSESSION	DRUG - POSSESSION	1005 KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-200419	GENERAL OFFENSE
Feb-14-2024	16:02:08	201853	MVC - REPORTABLE, NO INJURIES	MVC - REPORTABLE, NO INJURIES	270 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-201853	TRACS CRASH REPORT
Feb-14-2024	21:12:43	203025	DISTURBANCE/NOIS E COMPLAINT GO	DOMESTIC - OTHER GO	5 - 1730 VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-203025	GENERAL OFFENSE
Feb-15-2024	08:42:59	204761	SCATTERING RUBBISH	SCATTERING RUBBISH	1065 QUARRY HALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-204761	GENERAL OFFENSE
Feb-15-2024	11:04:28	205490	SPECIAL DRIVERS LICENSE EXAM GO	SPECIAL DRIVERS LICENSE EXAM GO	266 I476 S [PROGRESS DR WORCESTER TWP (MONTGOMERY)	Yes	2024-205490	GENERAL OFFENSE
Feb-15-2024	12:52:42	206014	DISABLED MOTORIST CC	DISABLED MOTORIST CC	262 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-206014	CLOSED CAD CALL
Feb-15-2024	13:00:32	206054	MOTOR CARRIER SAFETY CC	MOTOR CARRIER SAFETY CC	273 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-206054	CLOSED CAD CALL
Feb-15-2024	18:55:36	207421	SEE OFFICER GO	SEE OFFICER GO	3205 SKIPPACK PIKE [MEADOW WOODS WORCESTER TWP (MONTGOMERY)	Yes	2024-207421	GENERAL OFFENSE
Feb-16-2024	02:02:32	208411	POLICE INFORMATION CC	POLICE INFORMATION CC	2202 OAK TER WORCESTER TWP (MONTGOMERY)	Yes	2024-208411	CLOSED CAD CALL
Feb-16-2024	05:33:52	208604	REFER TO OTHER AGENCY - PD R	REFER TO OTHER AGENCY - PD R	908 - 3205 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-208604	REFER
Feb-16-2024	10:29:49	210019	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	275 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-210019	CLOSED CAD CALL
Feb-16-2024	12:37:01	210657	DOMESTIC - IN PROGRESS CC	PATROL CHECK CC	1721 VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-210657	CLOSED CAD CALL
Feb-16-2024	18:22:01	212135	MVC - NON- REPORTABLE	MVC - DUI - ALCOHOL	1019 VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-212135	GO & TRACS (CRASH WITH GO)
Feb-16-2024	19:05:29	212251	MVC - NON- REPORTABLE	CANCELLED BY COMPLAINANT X	W GERMANTOWN PIKE / HERITAGE DR WORCESTER TWP (MONTGOMERY)	Yes	2024-212251	CANCELLED
Feb-17-2024	00:23:07	213116	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	2095 DEEP MEADOW LN WORCESTER TWP (MONTGOMERY)	Yes	2024-213116	CANCELLED
Feb-17-2024	07:23:26	213894	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	2095 DEEP MEADOW LN WORCESTER TWP (MONTGOMERY)	Yes	2024-213894	CANCELLED



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-17-2024	11:01:25	214576	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	263 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-214576	CLOSED CAD CALL
Feb-17-2024	12:54:35	214951	DISABLED MOTORIST CC	DISABLED MOTORIST CC	267 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-214951	CLOSED CAD CALL
Feb-17-2024	18:16:41	216005	SEE OFFICER GO	SEE OFFICER GO	1825 N WHITEHALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-216005	GENERAL OFFENSE
Feb-18-2024	07:09:06	217753	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	276 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-217753	CLOSED CAD CALL
Feb-18-2024	07:43:12	217881	DOMESTIC - IN PROGRESS	HARASSMENT - COMM - STALK - OTHER	1110 MERRYBROOK RD WORCESTER TWP (MONTGOMERY)	Yes	2024-217881	GENERAL OFFENSE
Feb-18-2024	11:56:25	218729	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	2235 LOCUST DR WORCESTER TWP (MONTGOMERY)	Yes	2024-218729	CANCELLED
Feb-18-2024	13:52:35	219111	SEE OFFICER GO	SEE OFFICER GO	270 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-219111	GENERAL OFFENSE
Feb-19-2024	09:17:44	222201	WELFARE CHECK GO	FIREARMS ACT VIOLATIONS	SKIPPACK PIKE / WENTZ CHURCH RD WORCESTER TWP (MONTGOMERY)	Yes	2024-222201	GENERAL OFFENSE
Feb-19-2024	09:34:35	222315	SUICIDE - ATTEMPT OR THREAT	CANCELLED BY COMPLAINANT X	3007 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-222315	CANCELLED
Feb-19-2024	13:08:16	223408	THEFT	SEE OFFICER GO	2106 BUSTARD RD WORCESTER TWP (MONTGOMERY)	Yes	2024-223408	GENERAL OFFENSE
Feb-19-2024	13:20:54	223458	DISABLED MOTORIST ON ROAD CC	TOWED VEHICLE GO	N WHITEHALL RD / SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-223458	GENERAL OFFENSE
Feb-19-2024	16:24:43	224224	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	N WHITEHALL RD / W TOWNSHIP LINE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-224224	CLOSED CAD CALL
Feb-19-2024	18:44:15	224800	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	MORRIS RD / PRIMROSE DR WORCESTER TWP (MONTGOMERY)	Yes	2024-224800	CLOSED CAD CALL
Feb-20-2024	07:40:09	226447	SPEECH CC	SPEECH CC	1000 BLOCK KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-226447	CLOSED CAD CALL
Feb-20-2024	11:11:05	227733	TRAFFIC VIOLATION/ERRATIC DRIVER CC	TRAFFIC VIOLATION/ERRATIC DRIVER CC	S VALLEY FORGE RD / SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-227733	CLOSED CAD CALL
Feb-20-2024	18:26:49	229887	MVC - PSP VEHICLE, NO INJURIES	MVC - PSP VEHICLE, NO INJURIES	272 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-229887	TRACS CRASH REPORT
Feb-20-2024	19:44:03	230080	POLICE INFORMATION CC	POLICE INFORMATION CC	2590 COLD SPRING RD WORCESTER TWP (MONTGOMERY)	Yes	2024-230080	CLOSED CAD CALL
Feb-21-2024	07:23:25	231447	WELFARE CHECK GO	PATROL CHECK CC	SKIPPACK PIKE / BUSTARD RD WORCESTER TWP (MONTGOMERY)	Yes	2024-231447	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-21-2024	07:24:42	231461	THEFT - FRAUD/FORGERY	THEFT - FRAUD/FORGERY	3205 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-231461	GENERAL OFFENSE
Feb-21-2024	08:35:23	231993	MOTOR CARRIER SAFETY	MOTOR CARRIER SAFETY CC	800 BLK N PARK AVE N PARK AVE WORCESTER TWP (MONTGOMERY)	Yes	2024-231993	WARNING (TRAFFIC STOP)
Feb-21-2024	08:58:42	232109	MOTOR CARRIER SAFETY	MOTOR CARRIER SAFETY CC	3000 BLOCK W GERMANTOWN PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-232109	TRAFFIC CITATION
Feb-21-2024	09:50:28	232455	WELFARE CHECK GO	WELFARE CHECK GO	2139 SCHULTZ RD WORCESTER TWP (MONTGOMERY)	Yes	2024-232455	GENERAL OFFENSE
Feb-21-2024	09:59:25	232475	MOTOR CARRIER SAFETY - SCHL BUS/VEH SPOT CHECK CC	MOTOR CARRIER SAFETY - SCHL BUS/VEH SPOT CHECK CC	W GERMANTOWN PIKE / GERMANTOWN PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-232475	WARNING (TRAFFIC STOP)
Feb-21-2024	13:13:36	233510	THEFT	THEFT	1310 DELL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-233510	GENERAL OFFENSE
Feb-22-2024	03:39:45	235916	MVC - REPORTABLE, NO INJURIES	MVC - REPORTABLE, NO INJURIES	255 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-235916	TRACS CRASH REPORT
Feb-22-2024	10:53:10	237408	VEHICLE REPOSESSION CC	VEHICLE REPOSESSION CC	3327 CUSTER WAY WORCESTER TWP (MONTGOMERY)	Yes	2024-237408	CLOSED CAD CALL
Feb-22-2024	11:00:51	237440	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	3219 FAWN RD WORCESTER TWP (MONTGOMERY)	Yes	2024-237440	CANCELLED
Feb-22-2024	11:19:07	237505	DOMESTIC SECURITY CHECK - SCHOOL CC	DOMESTIC SECURITY CHECK - SCHOOL CC	S VALLEY FORGE RD / EMERGENCY ACCESS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-237505	CLOSED CAD CALL
Feb-22-2024	21:21:55	239444	MVC - NON-REPORTABLE	MVC - NON-REPORTABLE	BETHEL RD / SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-239444	TRACS CRASH REPORT
Feb-23-2024	08:52:08	240974	TRAFFIC VIOLATION/ERRATIC DRIVER CC	TRAFFIC VIOLATION/ERRATIC DRIVER CC	259 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-240974	CLOSED CAD CALL
Feb-23-2024	10:29:52	241434	BURGLARY OR ATTEMPTED BURGLARY	SEE OFFICER GO	3218 STUMP HALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-241434	GENERAL OFFENSE
Feb-23-2024	15:52:33	242872	THEFT - FRAUD/FORGERY	THEFT - FRAUD/FORGERY	2582 COLD SPRING RD WORCESTER TWP (MONTGOMERY)	Yes	2024-242872	GENERAL OFFENSE
Feb-23-2024	16:19:19	243006	DISTURBANCE/NOISE COMPLAINT GO	DISTURBANCE/NOISE COMPLAINT GO	2630 HAWTHORN DR WORCESTER TWP (MONTGOMERY)	Yes	2024-243006	GENERAL OFFENSE
Feb-23-2024	16:38:08	243094	MVC - PSP VEHICLE W/INJURIES	MVC - PSP VEHICLE W/INJURIES	SKIPPACK PIKE / S VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-243094	TRACS CRASH REPORT
Feb-23-2024	16:39:48	243104	MVC - PSP VEHICLE W/INJURIES	DUPLICATE CALL	SKIPPACK PIKE / VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-243104	DUPLICATE CALL
Feb-23-2024	18:21:48	243549	DISORDERLY CONDUCT	DISORDERLY CONDUCT	VALLEY FORGE RD / SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-243549	GENERAL OFFENSE
Feb-23-2024	18:22:09	243560	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	W TOWNSHIP LINE RD / N WALES RD WORCESTER TWP (MONTGOMERY)	Yes	2024-243560	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-23-2024	19:09:26	243698	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	270 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-243698	CLOSED CAD CALL
Feb-24-2024	20:12:34	247953	MVC - HIT AND RUN, NO INJURIES	MVC - HIT AND RUN, NO INJURIES	269 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-247953	TRACS CRASH REPORT
Feb-24-2024	22:05:39	248290	ALARM - BURGLAR	ALARM FALSE NO FAULT CC	1005 KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-248290	CLOSED CAD CALL
Feb-25-2024	06:06:43	249229	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	273 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-249229	CLOSED CAD CALL
Feb-25-2024	06:21:44	249239	ALARM - BURGLAR	ALARM FALSE FAULT CC	2115 WEBER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-249239	CLOSED CAD CALL
Feb-25-2024	11:10:00	250280	DISABLED MOTORIST CC	DISABLED MOTORIST CC	POTSHOP RD / TOWNSHIP LINE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-250280	CLOSED CAD CALL
Feb-25-2024	16:31:54	251348	DISABLED MOTORIST ON ROAD CC	DISABLED MOTORIST CC	TOWNSHIP LINE RD / POTSHOP RD WORCESTER TWP (MONTGOMERY)	Yes	2024-251348	CLOSED CAD CALL
Feb-25-2024	20:15:52	251971	FIRE MARSHAL INVESTIGATION	FIRE MARSHAL TELEPHONE ASSIST CC	1895 CASSEL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-251971	CLOSED CAD CALL
Feb-26-2024	04:12:47	252788	PATROL CHECK CC	PATROL CHECK CC	3037 GRIFFITH RD WORCESTER TWP (MONTGOMERY)	Yes	2024-252788	CLOSED CAD CALL
Feb-26-2024	07:49:32	253508	DOMESTIC SECURITY CHECK - SCHOOL CC	DOMESTIC SECURITY CHECK - SCHOOL CC	3017 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-253508	CLOSED CAD CALL
Feb-26-2024	07:52:36	253517	PATROL CHECK CC	PATROL CHECK CC	S VALLEY FORGE RD / FISHER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-253517	CLOSED CAD CALL
Feb-26-2024	09:01:08	253999	DISABLED MOTORIST CC	ABANDONED VEHICLE GO	TOWNSHIP LINE RD / POTSHOP RD WORCESTER TWP (MONTGOMERY)	Yes	2024-253999	GENERAL OFFENSE
Feb-26-2024	10:22:33	254434	INTERSTATE HIGHWAY - STATIONARY PATROL CC	INTERSTATE HIGHWAY - STATIONARY PATROL CC	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-254434	CLOSED CAD CALL
Feb-26-2024	11:01:17	254679	DOMESTIC SECURITY CHECK - SCHOOL CC	DOMESTIC SECURITY CHECK - SCHOOL CC	KRIEBEL MILL RD / GERMANTOWN PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-254679	CLOSED CAD CALL
Feb-26-2024	11:13:22	254749	DOMESTIC SECURITY CHECK - SCHOOL CC	DOMESTIC SECURITY CHECK - SCHOOL CC	1005 KRIEBEL MILL RD [METHACTON HIGH SCHOOL WORCESTER TWP (MONTGOMERY)	Yes	2024-254749	CLOSED CAD CALL
Feb-26-2024	17:05:35	256629	DOMESTIC SECURITY CHECK CC	DOMESTIC SECURITY CHECK CC	1700 BLOCK VALLEY FORGE RD [HEEBNER PARK WORCESTER TWP (MONTGOMERY)	Yes	2024-256629	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-26-2024	23:04:33	257898	PATROL CHECK CC	PATROL CHECK CC	2060 S VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-257898	CLOSED CAD CALL
Feb-26-2024	23:53:06	257975	DISABLED MOTORIST CC	DISABLED MOTORIST CC	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-257975	CLOSED CAD CALL
Feb-27-2024	10:58:50	260478	CHILDLINE	SEE OFFICER GO	1001 KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-260478	GENERAL OFFENSE
Feb-27-2024	11:56:19	260813	REQUEST ASSIST - LOCAL PD GO	REQUEST ASSIST - LOCAL PD GO	1700 HOLLOW RD WORCESTER TWP (MONTGOMERY)	Yes	2024-260813	GENERAL OFFENSE
Feb-27-2024	12:47:28	261081	PATROL CHECK CC	PATROL CHECK CC	HEEBNER RD / SHEFLEY LN (HEEBNER PARK WORCESTER TWP (MONTGOMERY)	Yes	2024-261081	CLOSED CAD CALL
Feb-27-2024	16:59:42	262304	MVC - NON- REPORTABLE	MVC - NON- REPORTABLE	SKIPPACK PIKE / VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-262304	TRACS CRASH REPORT
Feb-28-2024	00:54:27	263445	ALARM - BURGLAR	CANCELLED BY COMPLAINANT X	109 CLYDESDALE CIR WORCESTER TWP (MONTGOMERY)	Yes	2024-263445	CANCELLED
Feb-28-2024	08:02:19	264396	PATROL CHECK CC	PATROL CHECK CC	SKIPPACK PIKE / BUSTARD RD WORCESTER TWP (MONTGOMERY)	Yes	2024-264396	CLOSED CAD CALL
Feb-28-2024	08:03:26	264399	PATROL CHECK CC	PATROL CHECK CC	SKIPPACK PIKE / WENTZ CHURCH RD WORCESTER TWP (MONTGOMERY)	Yes	2024-264399	CLOSED CAD CALL
Feb-28-2024	08:05:08	264408	PATROL CHECK CC	PATROL CHECK CC	SKIPPACK PIKE / SHUTT MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-264408	CLOSED CAD CALL
Feb-28-2024	08:10:54	264432	PATROL CHECK CC	PATROL CHECK CC	VALLEY FORGE RD / WATER STREET RD WORCESTER TWP (MONTGOMERY)	Yes	2024-264432	CLOSED CAD CALL
Feb-28-2024	09:11:07	264764	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	270 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-264764	CLOSED CAD CALL
Feb-28-2024	13:49:48	265984	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	INTERSTATE HIGHWAY - CLEAR LINE ZONE CC	263 I476 S WORCESTER TWP (MONTGOMERY)	Yes	2024-265984	CLOSED CAD CALL
Feb-28-2024	20:03:51	267432	ALARM - BURGLAR	ALARM FALSE FAULT CC	3175 DOEBROOK RD WORCESTER TWP (MONTGOMERY)	Yes	2024-267432	CLOSED CAD CALL
Feb-28-2024	21:11:06	267642	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	GREEN HILL RD / STUMP HALL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-267642	CLOSED CAD CALL
Feb-28-2024	21:34:07	267717	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	2917 SKIPPACK PIKE WORCESTER TWP (MONTGOMERY)	Yes	2024-267717	CLOSED CAD CALL
Feb-28-2024	21:48:53	267750	ROAD HAZARD - ANIMAL - DEBRIS CC	ROAD HAZARD - ANIMAL - DEBRIS CC	GREEN HILL RD / KRIEBEL MILL RD WORCESTER TWP (MONTGOMERY)	Yes	2024-267750	CLOSED CAD CALL
Feb-28-2024	22:20:04	267861	REFER TO OTHER AGENCY - PD R	REFER TO OTHER AGENCY - PD R	BUSTARD RD / FISHER RD WORCESTER TWP (MONTGOMERY)	Yes	2024-267861	REFER
Feb-29-2024	11:52:06	270250	PATROL CHECK CC	PATROL CHECK CC	W GERMANTOWN PIKE / THOMAS RD WORCESTER TWP (MONTGOMERY)	Yes	2024-270250	CLOSED CAD CALL



# PENNSYLVANIA STATE POLICE

## CAD Call Print Synopsis

Call Date	Time	Call Number	Original Call Type	Final Call Type	Location	Founded	Report #	Cleared By
Feb-29-2024	14:30:46	270912	INTERSTATE HIGHWAY - STATIONARY PATROL	INTERSTATE HIGHWAY - STATIONARY PATROL	271 I476 N WORCESTER TWP (MONTGOMERY)	Yes	2024-270912	CLOSED CAD CALL
Feb-29-2024	16:15:40	271445	MVC - NON- REPORTABLE	MVC - NON- REPORTABLE	WOODLYN AVE / VALLEY FORGE RD WORCESTER TWP (MONTGOMERY)	Yes	2024-271445	TRACS CRASH REPORT

*private utility enterprises, inc.*

1000 E Walnut Street, Ste 721  
Perkasie, PA 18944

office 215-766-2626  
fax 215-766-2424

March 1, 2024

Mr. Sean Halbom  
Township Manager  
Township of Worcester  
1721 Valley Forge Road  
Worcester, PA 19490

RE: Berwick STP PA0050393 and Valley Green STP PA0050393  
Monthly Operation and Maintenance Report for January 2024.

Dear Mr. Halbom,

Attached, please find the summary of analytical results and operation and maintenance activities for the Berwick and Valley Green sewage treatment plants and collection system.

Please feel free to contact me with questions at the above number.

Thank you,



Teresa J Peachey  
Office Manager

Cc: John Scully, President  
John Evarts

**Worcester Township WWTP  
Operations and Maintenance Report**

**January 2024**

**Non-Routine Maintenance / Events:**

**Valley Green WWTP**

1/04/24 – EXTRA - 1 HOURS

Found blower belts for #3 train blower broken, shut down blower and replaced belts.

**Berwick Place WWTP**

1/02/24 - EXTRA TIME 1 HOUR

Found #3, #4 train blower belts broken. Shut down blower and replaced belts.

1/10/24 - WEDNESDAY BERWICK PLACE EXTRA TIME 10:00AM TO 7:00PM

Heavy rain event, increased flow through plant to help lower levels in both sides pre-eq tanks. Franc on site to pull 3 loads from SHT's. Wasted as needed to keep blanket in clarifiers down. Turned air off in last aeration tanks to help keep blankets down. Pump from one side pre-eq tank to the other as levels dropped to try and keep up with influent. Fight I and I all day.

1/20/24 - Worcester Township-Emergency call out @ 1400 hours for a possible sewer main leak at the intersection of Valley Forge Road and Road. Arrived on the scene and found a small hole about 7" in diameter with evidence of leaking sewage. This forced main is a 2" discharge from Fawn Creek PS into the gravity manhole VG2. Opened both the manhole with the pressure relief valve near the leak and the discharge further down closer to the Valley Green WWTP. Both were clean and no signs of leaks. Called Pascerini Contractors to open an emergency PA One call and to get a crew to dig the street. Once the area was excavated the faulty part was a Schedule 80 ball valve that was left closed possibly as another air relief that had frozen and split in half. Once exposed the pumps were shut down at Fawn Creek PS and a repair cap was glued into place. After it had dried the PS was put back online with the pump on to test for any leaks for which there were none found. The excavation was filled back in with gravel from the township lot and the black top was filled with cold patch. Emergency crew completed the work, and the system was restored to normal @ 2300 hours. Total time 9 hours.

**Your eDMR Report Has Been Received For Permit No. PA0055671**

depgreenporthelpdesk@state.pa.us <depgreenporthelpdesk@state.pa.us>

Tue 2/27/2024 12:10 PM

To:jscullypue@gmail.com <jscullypue@gmail.com>;tryan@worcestertwp.com <tryan@worcestertwp.com>;  
jscullypue@gmail.com <jscullypue@gmail.com>

This email is to confirm that the following report was received by DEP through the eDMR system:

**Facility Name:** BERWICK PLACE STP

**Permit Number:** PA0055671

**Report Frequency:** Monthly

**Report Type:** DMR

**Reporting Period:** 01/01/2024-01/31/2024

**Report Due Date:** 02/28/2024

**Submitted By:** John Scully

**Submission Id:** 444918

**Submission Status:** Received

**Submission Type:** Original

To view the details of this report, access the eDMR system through DEP's [GreenPort](#) and select the link for View/Revise Submitted.



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: PO BOX 7671721 VALLEY FORGE RD, WORCESTER, PA , 19490-0767  
 FACILITY: BERWICK PLACE STP  
 LOCATION: E MT KIRK RD, WORCESTER, PA , 19490-0767  
 STAGE: Final Effluent

PA0055671
PERMIT NUMBER

001
OUTFALL NUMBER

Reporting Frequency: Monthly  
 DMR Effective From: 01/01/2024  
 DMR Effective To: 01/31/2024  
 Permit Expires: 10/31/2026  
 Permit Application Due: 05/04/2026  
 No Discharge:

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
2024	01	01		2024	01	31

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Dissolved Oxygen (00300)	SAMPLE MEASUREMENT	***	***		5.88	***	***		1/day	Grab
	PERMIT REQUIREMENT	***	***		5.0 Daily Min.	***	***	mg/L	1/day	Grab
pH (00400)	SAMPLE MEASUREMENT	***	***		6.97	***	8.11		1/day	Grab
	PERMIT REQUIREMENT	***	***		6.0 Inst Min.	***	9.0 IMAX	S.U.	1/day	Grab
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	5.1	7.7		***	12	28		1/week	24-Hr Composite
	PERMIT REQUIREMENT	12.5 Avg Mo	18.8 Wkly Avg	lbs/day	***	10 Avg Mo	15 Wkly Avg	mg/L	1/week	24-Hr Composite
Total Nitrogen (00600)	SAMPLE MEASUREMENT	<14	***		***	27.74	***		1/week	24-Hr Composite
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***	lbs/day	***	Monitor & Report Avg Mo	***	mg/L	1/week	24-Hr Composite
Ammonia-Nitrogen (00610)	SAMPLE MEASUREMENT	1.3	1.6		***	2.9	5.4		1/week	24-Hr Composite
	PERMIT REQUIREMENT	3.8 Avg Mo	5.6 Wkly Avg	lbs/day	***	3.0 Avg Mo	4.5 Wkly Avg	mg/L	1/week	24-Hr Composite
Nitrate-Nitrite as N (00630)	SAMPLE MEASUREMENT	<12.2	<17.9		***	<23	<31		1/week	24-Hr Composite
	PERMIT REQUIREMENT	12.5 Avg Mo	18.8 Wkly Avg	lbs/day	***	10 Avg Mo	15 Wkly Avg	mg/L	1/week	24-Hr Composite
Total Phosphorus (00665)	SAMPLE MEASUREMENT	.09	***		***	.2	***		1/week	24-Hr Composite
	PERMIT REQUIREMENT	7 Avg Mo	***	lbs/day	***	1.5 Avg Mo	***	mg/L	1/week	24-Hr Composite



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Ultraviolet light intensity (49607)	SAMPLE MEASUREMENT	***	***		.1	***	***	mW/cm <sup>2</sup>	1/day	Measured
	PERMIT REQUIREMENT	***	***		Monitor & Report Daily Min	***	***		1/day	Measured
Flow (50050)	SAMPLE MEASUREMENT	.086	.1665	MGD	***	***	***		Continuous	Metered
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	Monitor & Report Daily Max		***	***	***		Continuous	Metered
Fecal Coliform (74055)	SAMPLE MEASUREMENT	***	***		***	<7	33	No./100 ml	1/week	Grab
	PERMIT REQUIREMENT	***	***		***	200 Geo Mean	1000 IMAX		1/week	Grab
Carbonaceous Biochemical Oxygen Demand (CBOD5) (80082)	SAMPLE MEASUREMENT	<2.3	3.7	lbs/day	***	<4	5	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	12.5 Avg Mo	18.8 Wkly Avg		***	10 Avg Mo	15 Wkly Avg		1/week	24-Hr Composite
Facility Comments										



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: PO BOX 7671721 VALLEY FORGE RD, WORCESTER, PA , 19490-0767  
 FACILITY: BERWICK PLACE STP  
 LOCATION: E. MT KIRK RD, WORCESTER, PA , 19490-0767  
 STAGE: Raw Sewage Influent

PA0055671
PERMIT NUMBER

001
OUTFALL NUMBER

Reporting Frequency: Monthly  
 DMR Effective From: 01/01/2024  
 DMR Effective To: 01/31/2024  
 Permit Expires: 10/31/2026  
 Permit Application Due: 05/04/2026  
 No Discharge:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2024	01	01	FROM	2024	01	31
			TO			

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Biochemical Oxygen Demand (BOD5) (00310)	SAMPLE MEASUREMENT	147	***	lbs/day	***	255	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		1/week	24-Hr Composite
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	139	***	lbs/day	***	265	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		1/week	24-Hr Composite
Facility Comments										

**ATTACHMENT DETAILS**

FILE NAME	ATTACHMENT TYPE	UPLOADED TIME	ATTACHMENT COMMENT
Berwick DMR Jan 2024	Daily Effluent Monitoring Form	2/26/2024 1:41:25 PM	
Berwick Supp Lab Form 2024	Laboratory Accreditation Form	2/26/2024 12:50:22 PM	
Berwick Inf Proc Cntl Jan 2024	Influent and Process Control Form	2/26/2024 1:41:51 PM	
Berwick Sludge Form Jan 2024	Sewage Sludge / Biosolids Production and Disposal Form	2/26/2024 12:49:53 PM	
2401944 Inf Eff 1.18.24	Laboratory Analytical Report	2/26/2024 1:04:48 PM	
2402891 Inf Eff 1.25.24	Laboratory Analytical Report	2/26/2024 1:05:17 PM	
2400779 Inf Eff 1.12.24	Laboratory Analytical Report	2/26/2024 1:02:35 PM	
2350816 Inf Eff 1.4.24	Laboratory Analytical Report	2/26/2024 12:51:12 PM	

**COMMENT DETAILS**

COMMENTS	OPERATOR NAME	OPERATOR CERTIFICATION NUMBER	OPERATOR CONTACT NUMBER
	John Scully	S14080	(215)-766-2626

**SUPPLEMENTAL REPORT  
DAILY EFFLUENT MONITORING**

Facility Name: Berwick Place STP  
Municipality: Worcester Twp County: Montgomery Coun  
Watershed: 3-E  
Laboratories: MJ Reider Associates, Inc

Month: 1 (select number) Year: 2024  
Permit No.: PA0055671 Outfall: 001  
Renewal application due 180 days prior to expiration.  
This permit will expire on: January 31, 2026

Week	Day	Date	Flow	Fecal Coliform	pH	Dissolved Oxygen	CBOD5	TSS	UV Intensity	NO2-N + NO3-N	Total Nitrogen	NH3-N	Total Phosphorus	BOD5	TSS		
			1	1	1	1	1	1	1	2	1	1	1	RI	RI		
Stage			MGD	CFU/100 ml	S.U.	mg/L	mg/L	mg/L	%	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		
1	Sun	12/31/23															
	Mon	1/1/24	0.0862		7.24	8.04			0.1								
	Tue	1/2/24	0.0724		7.19	8.23			0.1								
	Wed	1/3/24	0.0904		7.08	8.36			0.1								
	Thu	1/4/24	0.0516	18.0	7.6	8.9	4.2	8.0	0.1	<	31.4	<	34.37	2.31	0.1	281.0	292.0
	Fri	1/5/24	0.0593		7.34	8.72			0.1								
	Sat	1/6/24	0.1017		7.21	8.58			0.1								
2	Sun	1/7/24	0.086		7.28	8.77			0.1								
	Mon	1/8/24	0.0842		7.12	8.86			0.1								
	Tue	1/9/24	0.1112		7.18	8.6			0.1								
	Wed	1/10/24	0.1665		7.29	8.34			0.1								
	Thu	1/11/24	0.0938		7.36	8.52			0.1								
	Fri	1/12/24	0.0999	33.0	7.26	8.74	4.5	7.0	0.1	<	14.1	<	16.84	1.62	0.11	228.0	178.0
	Sat	1/13/24	0.0992		7.05	9.47			0.1								
3	Sun	1/14/24	0.0861		6.97	10.75			0.1								
	Mon	1/15/24	0.0773		7.08	10.27			0.1								
	Tue	1/16/24	0.0665		7.12	10.56			0.1								
	Wed	1/17/24	0.0559		7.21	10.76			0.1								
	Thu	1/18/24	0.0825	<	2.0	7.28	10.45	5.0	0.1	<	26.0	<	29.36	2.3	0.11	333.0	293.0
	Fri	1/19/24	0.0758		7.36	10.88			0.1								
	Sat	1/20/24	0.0717		7.15	10.76			0.1								
4	Sun	1/21/24	0.0787		7.27	10.94			0.1								
	Mon	1/22/24	0.0761		8.11	11.81			0.1								
	Tue	1/23/24	0.07		7.31	6.77			0.1								
	Wed	1/24/24	0.1276		7.47	6.71			0.1								
	Thu	1/25/24	0.0328	<	2.0	7.69	6.81	<	2.0	<	21.2	<	30.38	5.37	0.53	176.0	297.0
	Fri	1/26/24	0.0703		7.56	5.88			0.1								
	Sat	1/27/24	0.0858		7.7	6.83			0.1								
5	Sun	1/28/24	0.1583		7.73	7.01			0.1								
	Mon	1/29/24	0.0995		7.53	6.72			0.1								
	Tue	1/30/24	0.0823		7.55	6.46			0.1								
	Wed	1/31/24	0.0653		7.56	6.51			0.1								
	Thu	2/1/24															
	Fri	2/2/24															
	Sat	2/3/24															

Statistics for DMR																
Daily Minimum (Conc.):	<	2	6.97	5.88	<	2	5	0.1	<	14.1	<	16.84	1.62	0.1	176	178
Daily Maximum (Conc.):		33	8.11	11.81		4.5	28	0.1	<	31.4	<	34.37	5.37	0.53	333	297
Max Avg Weekly (Conc.):				10.63		5	28	0.1	<	31	<	34.37	5.4	0.53	333	297
Avg Monthly (Conc.):				8.68	<	4	12	0.1	<	23	<	27.74	2.9	0.2	255	265
Geometric Mean (Conc.):	<	7														
Max Avg Weekly (Load):	0.1058			8	<	3.7	7.7		<	17.9	<	20	1.6	0.1	229	202
Avg Monthly (Load):	0.086			6	<	2.3	5.1		<	12.2	<	14	1.3	0.09	147	139
Total Monthly (Load):	2.6649			191	<	70.2	157.9		<	379.4	<	444	41.8	2.8	4558	4315
Daily Minimum (Load):	0.0328			2	<	0.5	3.4		<	5.8	<	8	1	0.04	48	81
Daily Maximum (Load):	0.1665			12		3.7	7.7		<	17.9	<	20	1.6	0.1	229	202

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
Title: Operator

License No.: S14080  
Date: \_\_\_\_\_

Facility Name: Berwick Place STP  
 Municipality: Worcester Twp County: Montgomery  
 Watershed: 3-E

Month: January Year: 2024  
 NPDES Permit No.: PA0055671  
 Renewal application due 180 days prior to expiration.  
 This permit will expire on: January 31, 2026

Day	Influent				Process Control			
	Flow (MGD)	BOD <sub>5</sub> (mg/l)	BOD <sub>5</sub> (lbs)	TSS (mg/l)	TSS (lbs)	Aeration MLSS (mg/l)	Aeration DO (mg/l)	Sludge Wasted (gallons)
1	0.0862							
2	0.0724							
3	0.0904							
4	0.0516	281.0	121	292.0	126			
5	0.0593							
6	0.1017							
7	0.086							
8	0.0842							
9	0.1112							
10	0.1665							
11	0.0938							
12	0.0999	228.0	190	178.0	148			
13	0.0992							
14	0.0861							
15	0.0773							
16	0.0665							
17	0.0559							
18	0.0825	333.0	229	293.0	202			
19	0.0758							
20	0.0717							
21	0.0787							
22	0.0761							
23	0.07							
24	0.1276							
25	0.0328	176.0	48	297.0	81			
26	0.0703							
27	0.0858							
28	0.1583							
29	0.0995							
30	0.0823							
31	0.0653							
<b>Avg</b>	<b>0.086</b>	<b>255</b>	<b>147</b>	<b>265</b>	<b>139</b>			
<b>Max</b>	<b>0.167</b>	<b>333</b>	<b>229</b>	<b>297</b>	<b>202</b>			

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
 Title: Operator

License No.: S14080  
 Date: \_\_\_\_\_





COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WATER STANDARDS AND FACILITY REGULATION

## SUPPLEMENTAL LABORATORY ACCREDITATION FORM<sup>1</sup>

<b>Permittee Name:</b>	<u>Worcester Township - Berwick Place STP</u>
<b>Address:</b>	<u>1721 Valley Forge Road</u>
	<u>Worcester, PA 19490-0767</u>
	_____

PERMIT NUMBER	MONITORING PERIOD Year/Month/Day						
PA0055671	2024	01	01	TO	2024	12	31

PARAMETER	ANALYSIS METHOD	LAB NAME	LAB ID NUMBER <sup>2</sup>
Ammonia	SM4500NH3-E	MJ REIDER ASSOC	06-00003
BOD/CBOD	SM5210B	MJ REIDER ASSOC	06-00003
TOTAL DISSOLVED SOLIDS	SM2540C	MJ REIDER ASSOC	06-00003
FECAL COLIFORM	SM9222D	MJ REIDER ASSOC	06-00003
NITRATE/NITRITE	4500-NO3E	MJ REIDER ASSOC	06-00003
TOTAL SUSPENDED SOLIDS	SM2540D	MJ REIDER ASSOC	06-00003
TOTAL PHOSPHORUS	HACH 8190	MJ REIDER ASSOC	06-00003
DISSOLVED OXYGEN	SM4500O-C	PRIVATE UTILITY ENTERPRISES	04702
Ph	SM4500H+B	PRIVATE UTILITY ENTERPRISES	04702

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

**Name/Title Principal Executive Officer**

**Phone:** 215-766-2626

**Signature of Principal Executive Officer or  
Authorized Agent**

John Scully

**Date:** 02/15/2024

<sup>1</sup> Submit this form with each Discharge Monitoring Report (DMR), Annual Report or Recordkeeping and Reporting Form, where sample results are submitted to the Department for compliance purposes.

<sup>2</sup> For parameter(s) covered under accreditation-by-rule, submit the lab's registration number in lieu of an accreditation number.



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2350816

**Report:** 01/12/24

**Lab Contact:** Rafael A Quijada

**Attention:** John Scully

**Project Info:** Berwick Placc STP NPDES - 1x/wk

**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Lab ID:** 2350816-01

**Collected By:** Client

**Sampled:** 01/04/24 09:35

**Received:** 01/04/24 14:16

**Sample Desc:** Berwick Place STP Effluent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	2.31	mg/l	0.02	EPA 350.1 Rev 2.0	01/04/24		SNF	1.5
Carbonaceous Biochemical Oxygen Demand	4.2	mg/l	2.0	SM 5210 B	01/05/24 16:31	B-02	ZJB	10
Nitrate as N	31.3	mg/l	1.00	EPA 300.0 Rev 2.1	01/04/24 16:51		KCS	10
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/04/24 16:51		KCS	
Nitrate+Nitrite as N	<31.40	mg/l	1.10	CALCULATED	01/04/24 16:51		KCS	
Nitrogen, Total	<34.37	mg/l	1.60	CALCULATED	01/05/24 22:10		SNF	
Nitrogen, Total Kjeldahl (TKN)	2.97	mg/l	0.50	EPA 351.2 Rev 2.0	01/05/24		SNF	
Phosphorus as P, Total	0.10	mg/l	0.01	SM 4500-P F	01/04/24		SNF	1.5
Solids, Total Suspended	8	mg/l	1	SM 2540 D	01/08/24		ALD	10

**Lab ID:** 2350816-02

**Collected By:** Client

**Sampled:** 01/04/24 09:35

**Received:** 01/04/24 14:16

**Sample Desc:** Berwick Place STP Effluent (Grab)

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	18	CFU/100ml	2	SM 9222 D	1/4/24 16:13	1/5/24 15:30		MAC	200

**Lab ID:** 2350816-03

**Collected By:** Client

**Sampled:** 01/04/24 09:35

**Received:** 01/04/24 14:16

**Sample Desc:** Berwick Place STP Influent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	281	mg/l	2.0	SM 5210 B	01/05/24 12:04		KMS	
Solids, Total Suspended	292	mg/l	1	SM 2540 D	01/05/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2400779  
**Report:** 01/19/24  
**Lab Contact:** Rafael A Quijada

**Attention:** John Scully  
**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Berwick Placc STP NPDES - 1x/wk

**Lab ID:** 2400779-01    **Collected By:** Client    **Sampled:** 01/12/24 09:40    **Received:** 01/12/24 15:15  
**Sample Desc:** Berwick Place STP Effluent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	1.62	mg/l	0.02	EPA 350.1 Rev 2.0	01/16/24		JMW	1.5
Carbonaceous Biochemical Oxygen Demand	4.5	mg/l	2.0	SM 5210 B	01/13/24 11:20	B-01, B-02, B-04	KMS	10
Nitrate as N	14.0	mg/l	1.00	EPA 300.0 Rev 2.1	01/12/24 19:39		KCS	10
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/12/24 19:39		KCS	
Nitrate+Nitrite as N	<14.10	mg/l	1.10	CALCULATED	01/12/24 19:39		KCS	
Nitrogen, Total	<16.84	mg/l	1.60	CALCULATED	01/17/24 11:09		SNF	
Nitrogen, Total Kjeldahl (TKN)	2.74	mg/l	0.50	EPA 351.2 Rev 2.0	01/17/24		SNF	
Phosphorus as P, Total	0.11	mg/l	0.01	SM 4500-P F	01/16/24		JMW	1.5
Solids, Total Suspended	7	mg/l	1	SM 2540 D	01/15/24		ALD	10

**Lab ID:** 2400779-02    **Collected By:** Client    **Sampled:** 01/12/24 09:40    **Received:** 01/12/24 15:15  
**Sample Desc:** Berwick Place STP Effluent (Grab)    **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	33	CFU/100ml	2	SM 9222 D	1/12/24 15:45	1/13/24 14:37		MAC	200

**Lab ID:** 2400779-03    **Collected By:** Client    **Sampled:** 01/12/24 09:40    **Received:** 01/12/24 15:15  
**Sample Desc:** Berwick Place STP Influent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	228	mg/l	2.0	SM 5210 B	01/13/24 10:04	B-01, B-02	KMS	
Solids, Total Suspended	178	mg/l	1	SM 2540 D	01/15/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.  
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current  
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.  
Additional accreditations by MD (261)



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2401944  
**Report:** 01/31/24  
**Lab Contact:** Rafael A Quijada

**Attention:** John Scully  
**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Berwick Place STP NPDES - 1x/wk

**Lab ID:** 2401944-01    **Collected By:** Client    **Sampled:** 01/18/24 10:05    **Received:** 01/18/24 14:47  
**Sample Desc:** Berwick Place STP Effluent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	2.30	mg/l	0.02	EPA 350.1 Rev 2.0	01/18/24		JMW	1.5
Carbonaceous Biochemical Oxygen Demand	4.3	mg/l	2.0	SM 5210 B	01/19/24 8:00		EAK	10
Nitrate as N	25.9	mg/l	1.00	EPA 300.0 Rev 2.1	01/18/24 18:14		KCS	10
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/18/24 18:14		KCS	
Nitrate+Nitrite as N	<26.00	mg/l	1.10	CALCULATED	01/18/24 18:14		KCS	
Nitrogen, Total	<29.36	mg/l	1.60	CALCULATED	01/26/24 16:16		SNF	
Nitrogen, Total Kjeldahl (TKN)	3.36	mg/l	0.50	EPA 351.2 Rev 2.0	01/26/24		SNF	
Phosphorus as P, Total	0.11	mg/l	0.01	SM 4500-P F	01/19/24		JMW	1.5
Solids, Total Suspended	5	mg/l	1	SM 2540 D	01/19/24		ALD	10

**Lab ID:** 2401944-02    **Collected By:** Client    **Sampled:** 01/18/24 10:05    **Received:** 01/18/24 14:47  
**Sample Desc:** Berwick Place STP Effluent (Grab)    **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100ml	2	SM 9222 D	1/18/24 17:06	1/19/24 15:32		MAC	200

**Lab ID:** 2401944-03    **Collected By:** Client    **Sampled:** 01/18/24 10:05    **Received:** 01/18/24 14:47  
**Sample Desc:** Berwick Place STP Influent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	333	mg/l	2.0	SM 5210 B	01/19/24 9:25		EAK	
Solids, Total Suspended	293	mg/l	1	SM 2540 D	01/19/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes. Additional accreditations by MD (261)



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2402891  
**Report:** 02/02/24  
**Lab Contact:** Rafael A Quijada

**Attention:** John Scully  
**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Berwick Place STP NPDES - 1x/wk

**Lab ID:** 2402891-01    **Collected By:** Client    **Sampled:** 01/25/24 09:30    **Received:** 01/25/24 14:32  
**Sample Desc:** Berwick Place STP Effluent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	5.37	mg/l	0.10	EPA 350.1 Rev 2.0	01/26/24		JMW	1.5
Carbonaceous Biochemical Oxygen Demand	<2.0	mg/l	2.0	SM 5210 B	01/26/24 14:40		EAK	10
Nitrate as N	21.1	mg/l	1.00	EPA 300.0 Rev 2.1	01/26/24 1:03		KCS	10
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/26/24 1:03		KCS	
Nitrate+Nitrite as N	<21.20	mg/l	1.10	CALCULATED	01/26/24 1:03		KCS	
Nitrogen, Total	<30.38	mg/l	1.60	CALCULATED	01/26/24 16:28		SNF	
Nitrogen, Total Kjeldahl (TKN)	9.18	mg/l	0.50	EPA 351.2 Rev 2.0	01/26/24	Q-10	SNF	
Phosphorus as P, Total	0.53	mg/l	0.01	SM 4500-P F	01/25/24		JMW	1.5
Solids, Total Suspended	28	mg/l	1	SM 2540 D	01/29/24		ALD	10

**Lab ID:** 2402891-02    **Collected By:** Client    **Sampled:** 01/25/24 09:30    **Received:** 01/25/24 14:32  
**Sample Desc:** Berwick Place STP Effluent (Grab)    **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100ml	2	SM 9222 D	1/25/24 15:13	1/26/24 15:35		MAC	200

**Lab ID:** 2402891-03    **Collected By:** Client    **Sampled:** 01/25/24 09:40    **Received:** 01/25/24 14:32  
**Sample Desc:** Berwick Place STP Influent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	176	mg/l	2.0	SM 5210 B	01/26/24 16:07	B-01, B-02, B-04	ZJB	
Solids, Total Suspended	297	mg/l	1	SM 2540 D	01/29/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.  
NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current  
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.  
Additional accreditations by MD (261)

**BERWICK WWTP**

Worcester

NPDES PERMIT # PA0055671

Month: January

Year: 2024

#3

DAY	Op Int	Influent		Effluent			Test Auto Dialer	In PH	Effluent Lab Testing					
		Totalizer	MGD	Totalizer x 10	GPM	MGD			PH	DO	Temp	NH3	Phos	NO3
1	JO	64524298	0.142669	2189179	85	0.0862			7.24	8.04	14.9	0.5	0.2	
2	JO	64666967	0.133500	2190041	65	0.0724			7.19	8.23	14.3	0.4	0.2	
3	JO	64800467	0.092149	2190765	37	0.0904			7.08	8.36	13.2	0.4	0.2	
4	JO	64892616	0.139500	2191669	39	0.0516			7.60	8.90	12.4	0.4	0.2	
5	JO	65032116	0.110143	2192185	63	0.0593			7.34	8.72	12.2	0.4	0.1	
6	JO	65142259	0.181518	2192778	76	0.1017			7.21	8.58	12.0	0.4	0.1	
7	JO	65323777	0.147514	2193795	81	0.0860			7.28	8.77	11.9	0.4	0.1	
8	JO	65471291	0.092840	2194655	78	0.0842			7.12	8.86	12.4	0.4	0.1	
9	JO	65564131	0.108581	2195497	44	0.1112			7.18	8.60	12.3	0.4	0.1	
10	JS	65672712	0.152149	2196609	82	0.1665			7.29	8.34	12.6	1.6	0.1	
11	JO	65824861	0.096531	2198274	69	0.0938			7.36	8.52	12.5	1.2	0.1	
12	JO	65921392	0.092020	2199212	71	0.0999			7.26	8.74	12.5	0.7	0.1	
13	MB	66013412	0.102944	2200211	64	0.0992			7.05	9.47	13.1	0.6	0.1	
14	MB	66116356	0.082574	2201203	62	0.0861			6.97	10.75	10.8	0.6	0.1	
15	JO	66198930	0.059934	2202064	56	0.0773			7.08	10.27	10.4	0.4	0.1	
16	JO	66258864	0.078311	2202837	24	0.0665			7.12	10.56	10.1	0.3	0.1	
17	JO	66337175	0.057006	2203502	54	0.0559			7.21	10.76	9.7	0.3	0.1	
18	JO	66394181	0.078535	2204061	39	0.0825			7.28	10.45	9.6	0.2	0.1	
19	JO	66472716	0.069613	2204886	18	0.0758			7.36	10.88	9.8	0.2	0.1	
20	CW	66542329	0.077540	2205644	75.21	0.0717			7.15	10.76	8.6	0.2	0.1	
21	CW	66619869	0.077289	2206361	76.84	0.0787			7.27	10.94	7.9	0.2	0.1	
22	JO	66697158	0.090170	2207148	31	0.0761			8.11	11.81	9.6	2.0	0.3	
23	CCC	66787328	0.073595	2207909	62	0.0700	✓		7.31	6.77	13.2		0.03	
24	CCC	66860923	0.043121	2208609	6	0.1276	✓		7.47	6.71	12.8		0.09	
25	CCC	66904044	0.127501	2209885	56	0.0328	✓		7.69	6.81	13.0		0.04	
26	CCC	67031545	0.080004	2210213	101	0.0703	✓		7.56	5.88	13.0		0.16	
27	JO	67111549	0.104475	2210916	62	0.0858			7.70	6.83	13.2	2.8	0.30	
28	JO	67216024	0.137401	2211774	98	0.1583			7.73	7.01	12.5	1.4	0.40	
29	CCC	67353425	0.100340	2213357	98	0.0995	✓		7.53	6.72	13.0	0.2	0.12	
30	CCC	67453765	0.093680	2214352	42	0.0823	✓		7.55	6.46	13.0	0.3	0.06	
31	CCC	67547445	0.076561	2215175	45	0.0653	✓		7.56	6.51	12.0	0.5	0.04	
		Avg:	0.1000	Total:		2.6649		Min:	6.97	5.88				
		Max:	0.181518					Max:	8.11	11.81				

**BERWICK WWTP**

Worcester

NPDES PERMIT # PA0055671

Month: January

Year: 2024

#4

DAY	EQ for Trains 3 & 4				Pump Setting				ND = New Drum					Sludge Removal - Gals		
	Pump 1	D/H	Pump 2	D/H	Alum 1	Alum 2	Alum 3	Alum 4	Meth 1.0	Meth 2.0	Meth 3.0	Meth 4.0	Meth Inches	Alum Inches	Trains 1 & 2	Trains 3 & 4
1	36706.4	0.0	45329.1	17.3	7	7	7	7	7	7	7	7	ND	ND		
2	36706.4	0.0	45346.4	13.2	7	7	7	7	7	7	7	7	OK	OK		
3	36706.4	0.0	45359.6	10.8	7	7	7	7	7	7	7	7	ND	ND		
4	36706.4	0.0	45370.4	15.5	7	7	7	7	7	7	7	7	OK	OK		
5	36706.4	0.0	45385.9	16.0	7	7	7	7	7	7	7	7	OK	OK		
6	36706.4	0.0	45401.9	20.7	7	7	7	7	7	7	7	7	ND	ND		
7	36706.4	0.0	45422.6	16.4	7	7	7	7	7	7	7	7	OK	OK		
8	36706.4	0.0	45439.0	19.1	7	7	7	7	7	7	7	7	ND	ND		
9	36706.4	0.0	45458.1	16.1	7	7	7	7	7	7	7	7	OK	OK		
10	36706.4	0.0	45474.2	8.5	7	7	7	7	7	7	7	7	OK	OK		
11	36706.4	48.4	45482.7	0.0	7	7	7	7	7	7	7	7	ND	ND		
12	36754.8	23.7	45482.7	0.0	7	7	7	7	7	7	7	7	OK	OK		
13	36778.5	25.9	45482.7	0.0	7	7	7	7	7	7	7	7	OK	OK		
14	36804.4	24.7	45482.7	0.0	7	7	7	7	7	7	7	7	OK	OK		
15	36829.1	21.5	45482.7	0.0	7	7	7	7	7	7	7	7	ND	ND		
16	36850.6	26.4	45482.7	0.0	7	7	7	7	7	7	7	7	OK	OK		
17	36877.0	20.0	45482.7	0.0	7	7	7	7	7	7	7	7	ND	ND		
18	36897.0	15.5	45482.7	0.0	7	7	7	7	7	7	7	7	OK	OK		
19	36912.5	14.8	45482.7	0.1	7	7	7	7	7	7	7	7	OK	OK		
20	36927.3	8.4	45482.8	0.0	7	7	7	7	7	7	7	7	ND	ND		
21	36935.7	12.5	45482.8	0.0	7	7	7	7	7	7	7	7	OK	OK		
22	36948.2	16.0	45482.8	0.0	10	10	10	10	7	7	7	7	OK	ND	0	0
23	36964.2	11.0	45482.8	0.0	4	4	8	4	7	7	7	7	ND	OK	4000	22000
24	36975.2	10.8	45482.8	0.0	4	4	8	4	6	6	6	6	OK	OK	8000	12000
25	36986.0	20.3	45482.8	0.0	2.5	2.5	6.5	2.5	4	4	4	4	ND	ND	0	0
26	37006.3	10.9	45482.8	0.0	2	2	5	2	3	3	3	3	OK	OK	0	0
27	37017.2	15.4	45482.8	0.0	2	2	5	2	3	3	3	3	OK	OK	0	0
28	37032.6	25.6	45482.8	1.5	2	2	5	2	3	3	3	3	OK	OK	0	0
29	37058.2	0.1	45484.3	16.7	2	2	5	2	5	5	5	5	ND	OK	0	0
30	37058.3	0.0	45501.0	9.8	2	2	5	2	5	5	5	5	OK	OK	0	0
31	37058.3	0.0	45510.8	8.1	2	2	5	2	5	5	5	5	OK	OK	4000	12000

**BERWICK WWTP**

**Worcester**

**NPDES PERMIT # PA0055671**

**Month: January Year: 2024**

#2

DAY	Decant & Aeration Checked				Daily UV Intensity	UV Hours	Weekly Outfall Inspect	Gen Hours	Comments
	1 & 2	AC	3 & 4	AC					
1	✓	✓	✓	✓	0.1	44354			
2	✓	✓	✓	✓	0.1	44390			
3	✓	✓	✓	✓	0.1	44412			
4	✓	✓	✓	✓	0.1	44433			
5	✓	✓	✓	✓	0.1	44456			
6	✓	✓	✓	✓	0.1	44481			
7	✓	✓	✓	✓	0.1	44512			
8	✓	✓	✓	✓	0.1	44538			
9	✓	✓	✓	✓	0.1	44557			
10	✓	✓	✓	✓	0.1	44573			
11	✓	✓	✓	✓	0.1	44600			
12	✓	✓	✓	✓	0.1	44624			
13	✓	✓	✓	✓	0.1	44647			
14	✓	✓	✓	✓	0.1	44673			
15	✓	✓	✓	✓	0.1	44701			
16	✓	✓	✓	✓	0.1	44723			
17	✓	✓	✓	✓	0.1	44745			
18	✓	✓	✓	✓	0.1	44768			
19	✓	✓	✓	✓	0.1	44798			
20	✓	✓	✓	✓	0.1	44816			
21	✓	✓	✓	✓	0.1	44832			
22	✓	✓	✓	✓	0.1	44868			
23	✓	✓	✓	✓	0.1	44898			
24	✓	✓	✓	✓	0.1	44920			
25	✓	✓	✓	✓	0.1	44935			
26	✓	✓	✓	✓	0.1	44969			
27	✓	✓	✓	✓	0.1	44987			
28	✓	✓	✓	✓	0.1	45016			
29	✓	✓	✓	✓	3.0	45039			
30	✓	✓	✓	✓	4.1	45060			
31	✓	✓	✓	✓	3.0	45079			

**BERWICK WWTP**

**Worcester**

**NPDES PERMIT # PA0055671**

**Month: January Year: 2024**

#5

DAY	Influent Pumps				Sand Filter for Trains 3 & 4							
	Pump		Pump		Backwash		Backwash		Mudwell		Mudwell	
	1	D/H	2	D/H	1	D/H	2	D/H	1	D/H	2	D/H
1	12111.8	2.6	7401.8	2.7	656.78	0.33	1208.96	0.32	2563.2	0.00	5691.87	0.33
2	12114.4	2.3	7404.5	2.4	657.11	0.00	1209.28	0.00	2563.2	0.00	5692.20	0.00
3	12116.7	1.9	7406.9	2.0	657.11	0.35	1209.28	0.36	2563.2	0.00	5692.20	0.36
4	12118.6	2.5	7408.9	2.5	657.46	0.00	1209.64	0.00	2563.2	0.00	5692.56	0.00
5	12121.1	1.9	7411.4	2.0	657.46	0.00	1209.64	0.00	2563.2	0.00	5692.56	0.00
6	12123.0	3.1	7413.4	3.1	657.46	0.00	1209.64	0.00	2563.2	0.00	5692.56	0.00
7	12126.1	2.5	7416.5	2.6	657.46	0.45	1209.64	0.45	2563.2	0.00	5692.56	0.46
8	12128.6	2.8	7419.1	2.9	657.91	0.00	1210.09	0.00	2563.2	0.00	5693.02	0.00
9	12131.4	9.0	7422.0	9.7	657.91	0.00	1210.09	0.00	2563.2	0.00	5693.02	0.00
10	12140.4	4.9	7431.7	5.3	657.91	0.26	1210.09	0.30	2563.2	0.00	5693.02	0.26
11	12145.3	3.1	7437.0	3.2	658.17	0.00	1210.39	0.00	2563.2	0.00	5693.28	0.00
12	12148.4	2.9	7440.2	3.2	658.17	0.00	1210.39	0.00	2563.2	0.00	5693.28	0.00
13	12151.3	3.4	7443.4	3.5	658.17	0.00	1210.39	0.00	2563.2	0.00	5693.28	0.00
14	12154.7	2.7	7446.9	2.8	658.17	0.00	1210.39	0.00	2563.2	0.00	5693.28	0.00
15	12157.4	2.0	7449.7	2.0	658.17	0.21	1210.39	0.18	2563.2	0.00	5693.28	0.23
16	12159.4	2.5	7451.7	2.8	658.38	0.00	1210.57	0.00	2563.2	0.00	5693.51	0.00
17	12161.9	1.8	7454.5	1.9	658.38	0.00	1210.57	0.00	2563.2	0.00	5693.51	0.00
18	12163.7	2.5	7456.4	2.8	658.38	0.00	1210.57	0.00	2563.2	0.00	5693.51	0.00
19	12166.2	2.3	7459.2	2.3	658.38	0.00	1210.57	0.01	2563.2	0.00	5693.51	0.00
20	12168.5	2.5	7461.5	2.6	658.38	0.00	1210.58	0.00	2563.2	0.00	5693.51	0.00
21	12171.0	2.7	7464.1	2.8	658.38	0.31	1210.58	0.29	2563.2	0.00	5693.51	0.60
22	12173.7	2.9	7466.9	2.9	658.69	0.20	1210.87	0.20	2563.2	0.00	5694.11	3.58
23	12176.6	2.3	7469.8	2.6	658.89	0.00	1211.07	0.00	2563.2	0.00	5697.69	0.00
24	12178.9	2.0	7472.4	2.0	658.89	0.00	1211.07	0.00	2563.2	0.00	5697.69	0.00
25	12180.9	4.1	7474.4	4.4	658.89	0.00	1211.07	0.00	2563.2	0.00	5697.69	0.00
26	12185.0	2.0	7478.8	2.1	658.89	0.00	1211.07	0.00	2563.2	0.00	5697.69	0.00
27	12187.0	3.5	7480.9	3.5	658.89	0.00	1211.07	0.00	2563.2	0.00	5697.69	0.00
28	12190.5	5.8	7484.4	5.9	658.89	0.00	1211.07	0.00	2563.2	0.00	5697.69	0.00
29	12196.3	3.3	7490.3	3.3	658.89	0.13	1211.07	0.13	2563.2	0.00	5697.69	0.00
30	12199.6	1.8	7493.6	2.0	659.02	0.00	1211.20	0.00	2563.2	0.00	5697.69	0.00
31	12201.4	1.7	7495.6	1.7	659.02	0.00	1211.20	0.00	2563.2	0.00	5697.69	0.00

**BERKSHIRE WWTP**

Worcester

NPDES PERMIT # PA0055671

Month: January

Year:

2024

#7

DAY	Sand Filter for Trains 1 & 2										EQ for Trains 1 & 2			
	Backwash 1	D/H	Backwash 2	D/H	Mudwell 3	D/H	Mudwell 4	D/H	Purge 5	D/H	Pump 1	D/H	Pump 2	D/H
1	2549.7	0.3	2892.7	0.0	4905.7	0.3	4926.6	0.3	573.3	0.0	28860.0	0.0	5268.7	19.8
2	2550.0	0.0	2892.7	0.0	4906.0	0.0	4926.9	0.0	573.3	0.0	28860.0	0.0	5288.5	19.1
3	2550.0	0.3	2892.7	0.0	4906.0	0.3	4926.9	0.4	573.3	0.0	28860.0	0.0	5307.6	15.0
4	2550.3	0.0	2892.7	0.0	4906.3	0.0	4927.3	0.0	573.3	0.0	28860.0	0.0	5322.6	22.6
5	2550.3	0.0	2892.7	0.0	4906.3	0.0	4927.3	0.0	573.3	0.0	28860.0	0.0	5345.2	15.2
6	2550.3	0.0	2892.7	0.0	4906.3	0.0	4927.3	0.0	573.3	0.0	28860.0	0.0	5360.4	24.5
7	2550.3	0.5	2892.7	0.0	4906.3	0.4	4927.3	0.4	573.3	0.0	28860.0	0.0	5384.9	20.6
8	2550.8	0.0	2892.7	0.0	4906.7	0.0	4927.7	0.0	573.3	0.0	28860.0	0.4	5405.5	24.1
9	2550.8	0.0	2892.7	0.0	4906.7	0.0	4927.7	0.0	573.3	0.0	28860.4	16.0	5429.6	0.6
10	2550.8	0.3	2892.7	0.0	4906.7	0.3	4927.7	0.3	573.3	0.0	28876.4	8.5	5430.2	0.0
11	2551.1	0.0	2892.7	0.0	4907.0	0.0	4928.0	0.0	573.3	0.0	28884.9	3.1	5452.6	23.9
12	2551.1	0.0	2892.7	0.0	4907.0	0.0	4928.0	0.0	573.3	0.0	28888.0	23.7	5476.5	0.0
13	2551.1	0.0	2892.7	0.0	4907.0	0.0	4928.0	0.0	573.3	0.0	28911.7	25.9	5476.5	0.0
14	2551.1	0.0	2892.7	0.0	4907.0	0.0	4928.0	0.0	573.3	0.0	28937.6	24.7	5476.5	0.0
15	2551.1	0.2	2892.7	0.0	4907.0	0.2	4928.0	0.2	573.3	0.0	28962.3	21.5	5476.5	0.0
16	2551.3	0.0	2892.7	0.0	4907.2	0.0	4928.2	0.0	573.3	0.0	28983.8	21.0	5476.5	0.0
17	2551.3	0.0	2892.7	0.0	4907.2	0.0	4928.2	0.0	573.3	0.0	29004.8	15.0	5476.5	0.0
18	2551.3	0.0	2892.7	0.0	4907.2	0.0	4928.2	0.0	573.3	0.0	29019.8	20.3	5476.5	0.0
19	2551.3	0.0	2892.7	0.0	4907.2	0.0	4928.2	0.0	573.3	0.0	29040.1	23.1	5476.5	0.1
20	2551.3	0.0	2892.7	0.0	4907.2	0.0	4928.2	0.0	573.3	0.0	29063.2	24.1	5476.6	0.0
21	2551.3	0.3	2892.7	0.0	4907.2	0.3	4928.2	0.3	573.3	0.0	29087.3	25.0	5476.6	0.0
22	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29112.3	22.7	5476.6	0.0
23	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29135.0	14.3	5476.6	0.0
24	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29149.3	18.2	5476.6	0.0
25	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29167.5	26.4	5476.6	0.0
26	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29193.9	17.1	5476.6	0.0
27	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29211.0	22.8	5476.6	0.0
28	2551.6	0.0	2892.7	0.0	4907.5	0.0	4928.5	0.0	573.3	0.0	29233.8	31.5	5476.6	0.0
29	2551.6	0.1	2892.7	0.0	4907.5	0.1	4928.5	0.1	573.3	0.1	29265.3	25.1	5476.6	0.0
30	2551.7	0.0	2892.7	0.0	4907.6	0.0	4928.6	0.0	573.4	0.0	29290.4	15.0	5476.6	0.0
31	2551.7	0.0	2892.7	0.0	4907.6	0.0	4928.6	0.0	573.4	0.0	29305.4	12.1	5476.6	0.0

01/23/2024 - Franc hauled 26,000 gallons of sludge to Pottstown

01/24/2024 - Franc hauled 20,000 gallons of sludge to Pottstown

01/31/2024 - Franc hauled 16,000 gallons of sludge to Pottstown

**BERWICK WWTP**

Worcester

**NPDES PERMIT # PA0055671**

**January Year: 2024**

DAY	Trains 1 & 2						Trains 3 & 4						Compressor PSI
	Blower 2	PSI	Blower 3	PSI	Blower 1	PSI	Blower 6	D/H	Blower 7	D/H	Blower 5	D/H	
1	34667.4	6.8	22818.6	7.0	19172.3	6.2	53632.16	0.00	59970.47	26.41	83816.82	0.00	90/20
2	34667.4	6.8	22818.6	7.2	19198.1	6.2	53632.16	0.00	59996.88	24.06	83816.82	0.00	90/20
3	34667.4	6.8	22818.6	7.2	19222.8	6.2	53632.16	0.00	60020.94	21.00	83816.82	0.00	90/20
4	34667.4	6.8	22818.6	7.0	19243.8	6.2	53632.16	0.00	60041.94	27.28	83816.82	0.00	90/20
5	34667.4	6.8	22818.6	7.0	19271.4	6.2	53632.16	0.00	60069.22	22.77	83816.82	0.00	90/20
6	34667.4	6.8	22818.6	7.2	19294.0	6.2	53632.16	0.00	60091.99	24.45	83816.82	0.00	90/20
7	34667.4	7.0	22818.6	7.0	19318.5	6.2	53632.16	0.00	60116.44	21.40	83816.82	0.00	90/20
8	34667.4	7.0	22818.6	7.0	19339.2	6.2	53632.16	0.00	60137.84	27.10	83816.82	0.00	90/20
9	34667.4	7.0	22818.6	7.2	19366.8	6.2	53632.16	0.00	60164.94	15.81	83816.82	0.00	90/20
10	34667.4	7.2	22818.6	7.2	19382.9	6.2	53632.16	0.00	60180.75	27.68	83816.82	0.00	90/20
11	34667.4	7.2	22818.6	7.0	19410.3	6.2	53632.16	0.00	60208.43	26.09	83816.82	0.00	90/20
12	34667.4	7.2	22818.6	7.0	19436.5	6.2	53632.16	0.00	60234.52	23.54	83816.82	0.00	90/20
13	34667.4	7.2	22818.6	7.0	19460.2	6.2	53632.16	0.00	60258.06	25.84	83816.82	0.00	90/20
14	34667.4	7.2	22818.6	7.0	19486.0	6.2	53632.16	0.00	60283.90	25.07	83816.82	0.00	90/20
15	34667.4	7.2	22818.6	7.2	19510.8	6.2	53632.16	0.00	60308.97	21.77	83816.82	0.00	90/20
16	34667.4	7.2	22818.6	7.2	19532.3	6.2	53632.16	0.00	60330.74	28.05	83816.82	0.00	90/20
17	34667.4	7.2	22818.6	7.2	19558.7	6.2	53632.16	0.00	60358.79	17.21	83816.82	0.00	90/20
18	34667.4	7.2	22818.6	7.0	19578.1	6.2	53632.16	0.00	60376.00	27.80	83816.82	0.00	90/20
19	34667.4	7.2	22818.6	7.0	19605.2	6.2	53632.16	0.00	60403.80	22.48	83816.82	0.00	90/20
20	34667.4	7.2	22818.6	7.2	19628.3	6.2	53632.16	0.00	60426.28	23.88	83816.82	0.00	90/20
21	34667.4	7.2	22818.6	7.0	19652.8	6.0	53632.16	0.00	60450.16	25.31	83816.82	0.06	90/20
22	34667.4	6.0	22818.6	7.0	19677.6	5.8	53632.16	0.00	60475.47	29.58	83816.88	0.00	90/20
23	34667.4	7.4	22818.6	7.4	19678.4	6.0	53632.16	0.00	60505.05	24.54	83816.88	0.00	100/20
24	34667.4	7.4	22818.6	7.4	19678.4	6.0	53632.16	0.00	60529.59	18.27	83816.88	0.00	100/20
25	34667.4	7.2	22818.6	7.2	19678.4	5.8	53632.16	0.00	60547.86	29.66	83816.88	0.00	100/20
26	34667.4	7.2	22818.6	7.2	19678.4	6.0	53632.16	0.00	60577.52	17.10	83816.88	0.00	100/20
27	34667.4	7.2	22818.6	7.2	19678.4	6.0	53632.16	0.00	60594.62	23.09	83816.88	0.00	80/20
28	34667.4	7.2	22818.6	7.2	19678.4	6.0	53632.16	0.00	60617.71	31.54	83816.88	0.00	95/20
29	34667.4	6.0	22818.6	6.0	19678.4	6.0	53632.16	0.00	60649.25	24.90	83816.88	0.00	90/20
30	34667.4	6.0	22818.6	6.0	19678.4	6.0	53632.16	0.00	60674.15	19.45	83816.88	0.00	90/20
31	34667.4	6.0	22818.6	6.0	19678.4	6.0	53632.16	0.00	60693.60	17.20	83816.88	0.00	95/20

**FW: Your eDMR Report Has Been Received For Permit No. PA0050393**

Teresa Peachey &lt;tpeachey@pueinc.com&gt;

Tue 2/27/2024 10:57 AM

To:Debbie Dunfee &lt;Ddunfee@pueinc.com&gt;

---

**From:** depgreenporthelpdesk@state.pa.us <depgreenporthelpdesk@state.pa.us>  
**Sent:** Tuesday, February 27, 2024 10:57:28 AM (UTC-05:00) Eastern Time (US & Canada)  
**To:** jscullypue@gmail.com <jscullypue@gmail.com>; jscullypue@gmail.com <jscullypue@gmail.com>;  
tryan@worcestertwp.com <tryan@worcestertwp.com>  
**Subject:** Your eDMR Report Has Been Received For Permit No. PA0050393

This email is to confirm that the following report was received by DEP through the eDMR system:

**Facility Name:** VALLEY GREEN STP  
**Permit Number:** PA0050393  
**Report Frequency:** Monthly  
**Report Type:** DMR  
**Reporting Period:** 01/01/2024-01/31/2024  
**Report Due Date:** 02/28/2024

**Submitted By:** John Scully  
**Submission Id:** 444853  
**Submission Status:** Received  
**Submission Type:** Original

To view the details of this report, access the eDMR system through DEP's [GreenPort](#) and select the link for View/Revise Submitted.



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: 1721 VALLEY FORGE ROADP. O. BOX 767, WORCESTER, PA, 19490-0767  
 FACILITY: VALLEY GREEN STP  
 LOCATION: VALLEY FORGE ROAD & DEFFORD ROAD, WORCESTER, PA, 19490  
 STAGE: Final Effluent

PA0050393
PERMIT NUMBER

001
OUTFALL NUMBER

Reporting Frequency: Monthly  
 DMR Effective From: 01/01/2024  
 DMR Effective To: 01/31/2024  
 Permit Expires: 06/30/2026  
 Permit Application Due: 01/01/2026  
 No Discharge:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2024	01	01	FROM	2024	01	31
			TO			

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Dissolved Oxygen (00300)	SAMPLE MEASUREMENT	***	***		8.63	***	***	mg/L	1/day	Grab
	PERMIT REQUIREMENT	***	***		6.0 Inst Min	***	***		1/day	Grab
pH (00400)	SAMPLE MEASUREMENT	***	***		6.93	***	8.31	S.U.	1/day	Grab
	PERMIT REQUIREMENT	***	***		6.0 Inst Min	***	9.0 IMAX		1/day	Grab
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	<3.5	5.8	lbs/day	***	<2.3	<4.0	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	29.0 Avg Mo	44.0 Wkly Avg		***	16.0 Avg Mo	24.0 Wkly Avg		1/week	24-Hr Composite
Total Nitrogen (00600)	SAMPLE MEASUREMENT	***	***		***	<31.01	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	***	***		***	Monitor & Report Avg Mo	***		1/week	24-Hr Composite
Ammonia-Nitrogen (00610)	SAMPLE MEASUREMENT	.7	***	lbs/day	***	.44	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	3.7 Avg Mo	***		***	2.0 Avg Mo	***		1/week	24-Hr Composite
Total Phosphorus (00665)	SAMPLE MEASUREMENT	.2	***	lbs/day	***	.12	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	1.1 Avg Mo	***		***	61 Avg Mo	***		1/week	24-Hr Composite
Ultraviolet light intensity (49607)	SAMPLE MEASUREMENT	***	***		.1	***	***	µw/cm <sup>2</sup>	1/day	Metered
	PERMIT REQUIREMENT	***	***		Monitor & Report Daily Min	***	***		1/day	Metered

**COMMONWEALTH OF PENNSYLVANIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION**  
**BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Flow (50050)	SAMPLE MEASUREMENT	.1724	.3045	MGD	***	***	***		Continuous	Recorded
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	Monitor & Report Daily Max		***	***	***		Continuous	Recorded
Fecal Coliform (74055)	SAMPLE MEASUREMENT	***	***		***	<5	15	No./100 ml	1/week	Grab
	PERMIT REQUIREMENT	***	***		***	200 Geo. Mean	1000 IMAX		1/week	Grab
Carbonaceous Biochemical Oxygen Demand (CBOD5) (80082)	SAMPLE MEASUREMENT	7.7	14.1	lbs/day	***	4.8	7.0	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	18.3 Avg Mo	27.5 Wkly Avg		***	10.0 Avg Mo	15.0 Wkly Avg		1/week	24-Hr Composite
Facility Comments										



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF CLEAN WATER**

**DISCHARGE MONITORING REPORT (DMR)**

NAME: WORCESTER TWP MONTGOMERY CNTY  
 ADDRESS: 1721 VALLEY FORGE ROADP. O. BOX 767, WORCESTER, PA, 19490-0767  
 FACILITY: VALLEY GREEN STP  
 LOCATION: VALLEY FORGE ROAD & DEFFORD ROAD, WORCESTER, PA, 19490  
 STAGE: Raw Sewage Influent

PA0050393
PERMIT NUMBER

001
OUTFALL NUMBER

Reporting Frequency: Monthly  
 DMR Effective From: 01/01/2024  
 DMR Effective To: 01/31/2024  
 Permit Expires: 06/30/2026  
 Permit Application Due: 01/01/2026  
 No Discharge:

MONITORING PERIOD						
YEAR	MO	DAY		YEAR	MO	DAY
2024	01	01	FROM	2024	01	31
			TO			

PARAMETER		QUANTITY OR LOADING			QUANTITY OR CONCENTRATION				SAMPLING FREQUENCY	SAMPLING TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS		
Biochemical Oxygen Demand (BOD5) (00310)	SAMPLE MEASUREMENT	439	***	lbs/day	***	286	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		1/week	24-Hr Composite
Total Suspended Solids (00530)	SAMPLE MEASUREMENT	424	***	lbs/day	***	286	***	mg/L	1/week	24-Hr Composite
	PERMIT REQUIREMENT	Monitor & Report Avg Mo	***		***	Monitor & Report Avg Mo	***		1/week	24-Hr Composite
Facility Comments										

**ATTACHMENT DETAILS**

FILE NAME	ATTACHMENT TYPE	UPLOADED TIME	ATTACHMENT COMMENT
W Valley Green DMR Jan 2024	Daily Effluent Monitoring Form	2/26/2024 11:34:12 AM	
W Valley Green Inf Proc Cntl Jan 2024	Influent and Process Control Form	2/26/2024 11:34:44 AM	
W Valley Green Sludge Form Jan 2024	Sewage Sludge / Biosolids Production and Disposal Form	2/26/2024 11:38:03 AM	
2401947 Inf Eff 1.18.24	Laboratory Analytical Report	2/26/2024 11:39:27 AM	
2402892 Inf Eff 1.25.24	Laboratory Analytical Report	2/26/2024 11:39:52 AM	
2351237 Inf Eff 1.4.24	Laboratory Analytical Report	2/26/2024 11:38:38 AM	
2400780 Inf Eff 1.12.24	Laboratory Analytical Report	2/26/2024 11:39:02 AM	

**COMMENT DETAILS**

COMMENTS	OPERATOR NAME	OPERATOR CERTIFICATION NUMBER	OPERATOR CONTACT NUMBER
	John Scully	S14080	(215)-766-2626

**SUPPLEMENTAL REPORT  
DAILY EFFLUENT MONITORING**

Facility Name: Valley Green STP  
Municipality: Worcester Twp County: Montgomery Coun  
Watershed: 3-E  
Laboratories: MJ Reider Associates, Inc

Month: 1 (select number) Year: 2024  
Permit No.: PA0050393 Outfall: 001  
Renewal application due 180 days prior to expiration.  
This permit will expire on: June 30, 2025

Week	Day	Stage Date	Flow	Fecal Coliform		pH		Dissolved Oxygen		CBOD5		TSS		UV Intensity		Total Nitrogen		NH3-N		Total Phosphorus		BOD5		TSS	
			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	RI	RI	Q	Q			
			MGD	Q	CFU/100 ml	Q	S.U.	Q	mg/L	Q	mg/L	Q	mg/L	Q	%	Q	mg/L	Q	mg/L	Q	mg/L	Q	mg/L	Q	mg/L
1	Sun	12/31/23																							
	Mon	1/1/24	0.178				7.16		10.42					0.1											
	Tue	1/2/24	0.1615				7.24		10.36					0.1											
	Wed	1/3/24	0.1618				7.19		10.48					0.1											
	Thu	1/4/24	0.1756		15.0		6.93		10.74		2.2		1.0	0.1	<	34.6		0.3		0.11		237.0		212.0	
	Fri	1/5/24	0.1687				7.51		10.99					0.1											
	Sat	1/6/24	0.0875				7.36		10.68					0.1											
2	Sun	1/7/24	0.2443				7.22		10.84					0.1											
	Mon	1/8/24	0.1947				7.34		11.16					0.1											
	Tue	1/9/24	0.2302				7.23		10.92					0.1											
	Wed	1/10/24	0.3045				7.49		8.63					0.1											
	Thu	1/11/24	0.1802				7.31		11.14					0.1											
	Fri	1/12/24	0.1673		7.0		7.24		10.97		6.3		4.0	0.1	<	22.78		0.24		0.09		248.0		196.0	
	Sat	1/13/24	0.1788				7.05		10.61					0.1											
3	Sun	1/14/24	0.1589				8.29		11.18					0.1											
	Mon	1/15/24	0.1378				8.31		11.07					0.1											
	Tue	1/16/24	0.1949				7.33		11.46					0.1											
	Wed	1/17/24	0.0766				7.26		11.32					0.1											
	Thu	1/18/24	0.2322	<	2.0		7.58		11.62		7.3		3.0	0.1	<	32.31		1.0		0.17		294.0		210.0	
	Fri	1/19/24	0.1619				7.96		11.79					0.1											
	Sat	1/20/24	0.1445				7.26		12.14					0.1											
4	Sun	1/21/24	0.1477				7.27		13.33					0.1											
	Mon	1/22/24	0.1835				7.42		11.57					0.1											
	Tue	1/23/24	0.123				7.31		11.28					0.1											
	Wed	1/24/24	0.1612				8.14		11.94					0.1											
	Thu	1/25/24	0.1612	<	2.0		7.56		11.23		3.5	<	1.0	0.1	<	34.34		0.21		0.1		366.0		524.0	
	Fri	1/26/24	0.1839				7.66		10.9					0.1											
	Sat	1/27/24	0.1283				7.52		10.88					0.1											
5	Sun	1/28/24	0.238				7.38		10.74					0.1											
	Mon	1/29/24	0.1501				7.21		10.69					0.1											
	Tue	1/30/24	0.1946				7.28		10.94					0.1											
	Wed	1/31/24	0.1332				7.02		11.22					0.1											
	Thu	2/1/24																							
	Fri	2/2/24																							
	Sat	2/3/24																							

Statistics for DMR																									
Daily Minimum (Conc.):	<	2		6.93		8.63		2.2	<	1		0.1	<	22.78		0.21		0.09		237		196			
Daily Maximum (Conc.):		15		8.31		13.33		7.3		4		0.1	<	34.6		1		0.17		366		524			
Max Avg Weekly (Conc.):						11.59		7		4		0.1	<	34.6		1		0		366		524			
Avg Monthly (Conc.):						11.07		4.8	<	2.3		0.1	<	31.01		0.44		0.12		286		286			
Geometric Mean (Conc.):	<	5																							
Max Avg Weekly (Load):	0.2143					19		14.1		5.8		<	63		2		0.3		569		704				
Avg Monthly (Load):	0.1724					16		7.7	<	3.5		<	48		0.7		0.2		439		424				
Total Monthly (Load):	5.3446					490		239.1	<	110.0		<	1482		23.2		5.8		13597		13137				
Daily Minimum (Load):	0.0766					7		3.2	<	1.3		<	32		0.3		0.1		346		273				
Daily Maximum (Load):	0.3045					23		14.1		5.8		<	63		2		0.3		569		704				

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
Title: Operator

License No.: S14080  
Date: \_\_\_\_\_

Facility Name: Valley Green STP  
 Municipality: Worcester Twp County: Montgomery  
 Watershed: 3-E

Month: January Year: 2024  
 NPDES Permit No.: PA0050393  
 Renewal application due 180 days prior to expiration.  
 This permit will expire on: June 30, 2026

Day	Influent					Process Control			
	Flow (MGD)	BOD <sub>5</sub> (mg/l)	BOD <sub>5</sub> (lbs)	TSS (mg/l)	TSS (lbs)	Aeration MLSS (mg/l)	Aeration DO (mg/l)	Sludge Wasted (gallons)	
1	0.178								
2	0.1615								
3	0.1618								
4	0.1756	237.0	347	212.0	310				
5	0.1687								
6	0.0875								
7	0.2443								
8	0.1947								
9	0.2302								
10	0.3045								
11	0.1802								
12	0.1673	248.0	346	196.0	273				
13	0.1788								
14	0.1589								
15	0.1378								
16	0.1949								
17	0.0766								
18	0.2322	294.0	569	210.0	407				
19	0.1619								
20	0.1445								
21	0.1477								
22	0.1835								
23	0.123								
24	0.1612								
25	0.1612	366.0	492	524.0	704				
26	0.1839								
27	0.1283								
28	0.238								
29	0.1501								
30	0.1946								
31	0.1332								
Avg	0.172	286	439	286	424				
Max	0.305	366	569	524	704				

I certify under penalty of law that this document was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See Pa. C.S. § 4904 (relating to unsworn falsification).

Prepared By: John Scully  
 Title: Operator

License No.: S14080  
 Date: \_\_\_\_\_





COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WATER STANDARDS AND FACILITY REGULATION

## SUPPLEMENTAL LABORATORY ACCREDITATION FORM<sup>1</sup>

**Permittee Name:** Worcester Township - Valley Green STP

**Address:** 1721 Valley Forge Road  
Worcester, PA 19490-0767

PERMIT NUMBER	MONITORING PERIOD Year/Month/Day						
PA0050393	2024	01	01	TO	2024	12	31

PARAMETER	ANALYSIS METHOD	LAB NAME	LAB ID NUMBER <sup>2</sup>
Ammonia	SM4500NH3-E	MJ REIDER ASSOC	06-00003
BOD/CBOD	SM5210B	MJ REIDER ASSOC	06-00003
TOTAL DISSOLVED SOLIDS	SM2540C	MJ REIDER ASSOC	06-00003
FECAL COLIFORM	SM9222D	MJ REIDER ASSOC	06-00003
NITRATE/NITRITE	4500-NO3E	MJ REIDER ASSOC	06-00003
TOTAL SUSPENDED SOLIDS	SM2540D	MJ REIDER ASSOC	06-00003
TOTAL PHOSPHORUS	HACH 8190	MJ REIDER ASSOC	06-00003
DISSOLVED OXYGEN	SM4500O-C	PRIVATE UTILITY ENTERPRISES	04702
Ph	SM4500H+B	PRIVATE UTILITY ENTERPRISES	04702

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

**Name/Title Principal Executive Officer**

**Phone:** 215-766-2626

**Signature of Principal Executive Officer or  
Authorized Agent**

John Scully

**Date:** 02/15/2024

<sup>1</sup> Submit this form with each Discharge Monitoring Report (DMR), Annual Report or Recordkeeping and Reporting Form, where sample results are submitted to the Department for compliance purposes.

<sup>2</sup> For parameter(s) covered under accreditation-by-rule, submit the lab's registration number in lieu of an accreditation number.



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2351237

**Report:** 01/12/24

**Lab Contact:** Rafael A Quijada

**Attention:** Teresa Peachy

**Project Info:** Worcester Valley Green NPDES - wkly

**Reported To:** Private Utility Enterprises, Inc.

1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Lab ID:** 2351237-01

**Collected By:** Client

**Sampled:** 01/04/24 08:45

**Received:** 01/04/24 14:16

**Sample Desc:** Worcester Valley Green Effluent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.30	mg/l	0.02	EPA 350.1 Rev 2.0	01/05/24		SNF	2
Carbonaceous Biochemical Oxygen Demand	2.2	mg/l	2.0	SM 5210 B	01/05/24 16:31	B-02	ZJB	10
Nitrate as N	33.6	mg/l	1.00	EPA 300.0 Rev 2.1	01/04/24 17:08		KCS	
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/04/24 17:08		KCS	
Nitrate+Nitrite as N	<33.70	mg/l	1.10	CALCULATED	01/04/24 17:08		KCS	
Nitrogen, Total	<34.60	mg/l	1.60	CALCULATED	01/05/24 22:12		SNF	
Nitrogen, Total Kjeldahl (TKN)	0.90	mg/l	0.50	EPA 351.2 Rev 2.0	01/05/24		SNF	
Phosphorus as P, Total	0.11	mg/l	0.01	SM 4500-P F	01/05/24		SNF	0.61
Solids, Total Suspended	1	mg/l	1	SM 2540 D	01/08/24		ALD	16

**Lab ID:** 2351237-02

**Collected By:** Client

**Sampled:** 01/04/24 08:45

**Received:** 01/04/24 14:16

**Sample Desc:** Worcester Valley Green Effluent (Grab)

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	15	CFU/100ml	2	SM 9222 D	1/4/24 14:45	1/5/24 15:30	M-05	MAC	200

**Lab ID:** 2351237-03

**Collected By:** Client

**Sampled:** 01/04/24 08:45

**Received:** 01/04/24 14:16

**Sample Desc:** Worcester Valley Green Influent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	237	mg/l	2.0	SM 5210 B	01/05/24 12:04		KMS	
Solids, Total Suspended	212	mg/l	1	SM 2540 D	01/05/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2400780

**Report:** 01/19/24

**Lab Contact:** Rafael A Quijada

**Attention:** Teresa Peachy

**Project Info:** Worcester Valley Green NPDES - wky

**Reported To:** Private Utility Enterprises, Inc.

1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Lab ID:** 2400780-01

**Collected By:** Client

**Sampled:** 01/12/24 08:45

**Received:** 01/12/24 15:15

**Sample Desc:** Worcester Valley Green Effluent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.24	mg/l	0.02	EPA 350.1 Rev 2.0	01/16/24		JMW	2
Carbonaceous Biochemical Oxygen Demand	6.3	mg/l	2.0	SM 5210 B	01/12/24 16:50	B-02, B-04	KMD	10
Nitrate as N	21.6	mg/l	1.00	EPA 300.0 Rev 2.1	01/12/24 21:37		KCS	
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/12/24 21:37		KCS	
Nitrate+Nitrite as N	<21.70	mg/l	1.10	CALCULATED	01/12/24 21:37		KCS	
Nitrogen, Total	<22.78	mg/l	1.60	CALCULATED	01/17/24 11:11		SNF	
Nitrogen, Total Kjeldahl (TKN)	1.08	mg/l	0.50	EPA 351.2 Rev 2.0	01/17/24		SNF	
Phosphorus as P, Total	0.09	mg/l	0.01	SM 4500-P F	01/16/24		JMW	0.61
Solids, Total Suspended	4	mg/l	1	SM 2540 D	01/15/24		ALD	16

**Lab ID:** 2400780-02

**Collected By:** Client

**Sampled:** 01/12/24 08:45

**Received:** 01/12/24 15:15

**Sample Desc:** Worcester Valley Green Effluent (Grab)

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	7	CFU/100ml	2	SM 9222 D	1/12/24 15:45	1/13/24 14:37		MAC	200

**Lab ID:** 2400780-03

**Collected By:** Client

**Sampled:** 01/12/24 08:45

**Received:** 01/12/24 15:15

**Sample Desc:** Worcester Valley Green Influent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	248	mg/l	2.0	SM 5210 B	01/13/24 10:04	B-01, B-02	KMS	
Solids, Total Suspended	196	mg/l	1	SM 2540 D	01/15/24		ALD	



107 Angelica Street ◯ Reading, PA 19611 ◯ www.mjreider.com ◯ (610) 374-5129 ◯ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current  
NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.  
Additional accreditations by MD (261)



# Certificate of Analysis

**M.J. Reider Associates, Inc.**

ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2401947

**Report:** 01/31/24

**Lab Contact:** Rafael A Quijada

**Attention:** Teresa Peachy

**Project Info:** Worcester Valley Green NPDES - wky

**Reported To:** Private Utility Enterprises, Inc.

1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Lab ID:** 2401947-01

**Collected By:** Client

**Sampled:** 01/18/24 09:10

**Received:** 01/18/24 14:47

**Sample Desc:** Worcester Valley Green Effluent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	1.00	mg/l	0.02	EPA 350.1 Rev 2.0	01/18/24		JMW	2
Carbonaceous Biochemical Oxygen Demand	7.3	mg/l	2.0	SM 5210 B	01/19/24 8:00		EAK	10
Nitrate as N	30.3	mg/l	1.00	EPA 300.0 Rev 2.1	01/18/24 17:57		KCS	
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/18/24 17:57		KCS	
Nitrate+Nitrite as N	<30.40	mg/l	1.10	CALCULATED	01/18/24 17:57		KCS	
Nitrogen, Total	<32.31	mg/l	1.60	CALCULATED	01/26/24 16:18		SNF	
Nitrogen, Total Kjeldahl (TKN)	1.91	mg/l	0.50	EPA 351.2 Rev 2.0	01/26/24		SNF	
Phosphorus as P, Total	0.17	mg/l	0.01	SM 4500-P F	01/19/24		JMW	0.61
Solids, Total Suspended	3	mg/l	1	SM 2540 D	01/19/24		ALD	16

**Lab ID:** 2401947-02

**Collected By:** Client

**Sampled:** 01/18/24 09:10

**Received:** 01/18/24 14:47

**Sample Desc:** Worcester Valley Green Effluent (Grab)

**Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100ml	2	SM 9222 D	1/18/24 16:09	1/19/24 14:25		MAC	200

**Lab ID:** 2401947-03

**Collected By:** Client

**Sampled:** 01/18/24 09:10

**Received:** 01/18/24 14:47

**Sample Desc:** Worcester Valley Green Influent (Composite)

**Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	294	mg/l	2.0	SM 5210 B	01/19/24 9:25		EAK	
Solids, Total Suspended	210	mg/l	1	SM 2540 D	01/19/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current

NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes.

Additional accreditations by MD (261)



# Certificate of Analysis

**M.J. Reider Associates, Inc.**  
ENVIRONMENTAL TESTING LABORATORY  
U.S. EPA/PA DEP #06-00003

**Laboratory No.:** 2402892  
**Report:** 02/02/24  
**Lab Contact:** Rafael A Quijada

**Attention:** Teresa Peachy  
**Reported To:** Private Utility Enterprises, Inc.  
1000 E. Walnut St. Suite 721  
Perkasie, PA 18944

**Project Info:** Worcester Valley Green NPDES - wky

**Lab ID:** 2402892-01    **Collected By:** Client    **Sampled:** 01/25/24 10:00    **Received:** 01/25/24 14:32  
**Sample Desc:** Worcester Valley Green Effluent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Ammonia as N	0.21	mg/l	0.02	EPA 350.1 Rev 2.0	01/25/24		JMW	2
Carbonaceous Biochemical Oxygen Demand	3.5	mg/l	2.0	SM 5210 B	01/26/24 14:01	B-01, B-02, B-04	EAK	10
Nitrate as N	33.3	mg/l	1.00	EPA 300.0 Rev 2.1	01/26/24 1:20		KCS	
Nitrite as N	<0.10	mg/l	0.10	EPA 300.0 Rev 2.1	01/26/24 1:20		KCS	
Nitrate+Nitrite as N	<33.40	mg/l	1.10	CALCULATED	01/26/24 1:20		KCS	
Nitrogen, Total	<34.34	mg/l	1.60	CALCULATED	01/26/24 16:44		SNF	
Nitrogen, Total Kjeldahl (TKN)	0.94	mg/l	0.50	EPA 351.2 Rev 2.0	01/26/24		SNF	
Phosphorus as P, Total	0.10	mg/l	0.01	SM 4500-P F	01/25/24		JMW	0.61
Solids, Total Suspended	<1	mg/l	1	SM 2540 D	01/26/24		ALD	16

**Lab ID:** 2402892-02    **Collected By:** Client    **Sampled:** 01/25/24 10:00    **Received:** 01/25/24 14:32  
**Sample Desc:** Worcester Valley Green Effluent (Grab)    **Sample Type:** Grab

	Result	Unit	Rep. Limit	Analysis Method	Incubated	Analyzed	Notes	Analyst	Action Level
<b>Microbiology</b>									
Fecal Coliform	<2	CFU/100ml	2	SM 9222 D	1/25/24 16:18	1/26/24 15:35		MAC	200

**Lab ID:** 2402892-03    **Collected By:** Client    **Sampled:** 01/25/24 10:00    **Received:** 01/25/24 14:32  
**Sample Desc:** Worcester Valley Green Influent (Composite)    **Sample Type:** Composite

	Result	Unit	Rep. Limit	Analysis Method	Analyzed	Notes	Analyst	Action Level
<b>General Chemistry</b>								
Biochemical Oxygen Demand	366	mg/l	2.0	SM 5210 B	01/26/24 13:00	B-01	EAK	
Solids, Total Suspended	524	mg/l	1	SM 2540 D	01/26/24		ALD	



107 Angelica Street ○ Reading, PA 19611 ○ www.mjreider.com ○ (610) 374-5129 ○ fax (610) 374-7234

This certificate shall not be reproduced except in full without the written approval of M.J. Reider Associates, Inc.

NELAP accredited by PA. (PADEP #06-00003) Visit our website to view our current NELAC accreditations for various drinking water, wastewater and solid & chemical materials analytes. Additional accreditations by MD (261)

Valley Green  
Worcester

NPDES PERMIT # PA0050393

Month: January

Year: 2024

#2

DAY	Op Int	Influent		Effluent			Influent PH	Effluent				
		Totalizer	GPD	Totalizer x 10	GPM	MGD		PH	DO	NH3	Phos	NO3
1	JO			3465312	99	0.1780		7.16	10.42	0.3	0.1	
2	JO			3467092	51	0.1615		7.24	10.36	0.1	0.1	
3	JO			3468707	109	0.1618		7.19	10.48	0.1	0.1	
4	JO			3470325	89	0.1756		6.93	10.74	0.1	0.1	
5	JO			3472081	116	0.1687		7.51	10.99	0.2	0.1	
6	JO			3473768	154	0.0875		7.36	10.68	0.2	0.1	
7	JO			3474643	50	0.2443		7.22	10.84	0.2	0.1	
8	JO			3477086	65	0.1947		7.34	11.16	0.1	0.1	
9	JO	152384	0.239374	3479033	112	0.2302		7.23	10.92	0.1	0.1	
10	JO	391758	0.292535	3481335	189	0.3045		7.49	8.63	0.6	0.1	
11	JO	684293	0.136425	3484380	144	0.1802		7.31	11.14	0.1	0.1	
12	JO	820718	0.224823	3486182	145	0.1673		7.24	10.97	0.1	0.1	
13	MB	1045541	0.180001	3487855	22	0.1788		7.05	10.61	0.6	0.1	
14	MB	1225542	0.152788	3489643	65	0.1589		8.29	11.18	0.4	0.1	
15	JO	1378330	0.127377	3491232	162	0.1378		8.31	11.07	0.1	0.1	
16	JO	1505707	0.195322	3492610	148	0.1949		7.33	11.46	0.2	0.1	
17	JO	1701029	0.077654	3494559	110	0.0766		7.26	11.32	0.2	0.1	
18	JO	1778683	0.185004	3495325	100	0.2322		7.58	11.62	0.1	0.1	
19	JO	1963687	0.157812	3497647	88	0.1619		7.96	11.79	0.1	0.1	
20	CW	2121499	0.126086	3499266	100	0.1445		7.26	12.14	0.1	0.1	
21	CW	2247585	0.145416	3500711	107	0.1477		7.27	13.33	0.1	0.1	
22	JO	2393001	0.149829	3502188	103	0.1835		7.42	11.57	0.1	0.1	
23	JO	2542830	0.111475	3504023	85	0.1230		7.31	11.28	0.1	0.1	
24	JO	2654305	0.140657	3505253	60	0.1612		8.14	11.94	0.1	0.1	
25	JO	2794962	0.178594	3506865	72	0.1612		7.56	11.23	0.1	0.1	
26	JO	2973556	0.197220	3508477	46	0.1839		7.66	10.90	0.1	0.1	
27	JO	3170776	0.153917	3510316	124	0.1283		7.52	10.88	0.1	0.1	
28	JO	3324693	0.283580	3511599	106	0.2380		7.38	10.74	0.1	0.1	
29	JO	3608273	0.159783	3513979	189	0.1501		7.21	10.69	0.6	0.1	
30	JO	3768056	0.155951	3515480	106	0.1946		7.28	10.94	0.4	0.1	
31	JO	3924007	0.120919	3517426	182	0.1332		7.02	11.22	0.1	0.1	
		<b>Average:</b>	0.1692		<b>Avg:</b>	0.1724	<b>Min:</b>	6.93	8.63			
		<b>Max:</b>	0.292535		<b>Total:</b>	5.3446	<b>Max:</b>	8.31	13.33			

01/01-2024 - 01/08/2024, Out for repair

01/09/2024 - Meter repaired

VALLEY GREEN WWTP

Worcester

NPDES PERMIT # PA0050939

January Year: 2024

#4

	Aluminum Chloride Pump Settings %								Weekly		Gen Remote	Rain	
	Tote	Side	Side	Side	Side	Sludge	Daily	UV	Outfall	Auto -	Display	Fall	Outside
DAY	Inches	1	2	3	4	Removal	UV	Hours	Inspt	Dialer	Panel	Inches	Temp
1	OK	5	5	5	5		0.1	24385			333.57		41
2	OK	5	5	5	5		0.1	24411			334.27		41
3	OK	5	5	5	5		0.1	24434			334.27		43
4	OK	5	5	5	5		0.1	24456			334.27		37
5	OK	5	5	5	5		0.1	24483			334.27		36
6	OK	5	5	5	5		0.1	24507			334.27		32
7	OK	5	5	5	5		0.1	24519			334.33		36
8	OK	5	5	5	5		0.1	24550			334.33		37
9	OK	5	5	5	5		0.1	24578			334.33	2.5	39
10	OK	5	5	5	5		0.1	24591			334.33		54
11	NT	5	5	5	5		0.1	24624			335.51		46
12	OK	5	5	5	5		0.1	24647			335.51		45
13	OK	5	5	5	5		0.1	24671			335.51		42
14	OK	5	5	5	5		0.1	24697			335.51		35
15	OK	5	5	5	5		0.1	24720			335.51		28
16	OK	5	5	5	5		0.1	24741			336.21		31
17	OK	5	5	5	5		0.1	24770			336.21		23
18	OK	5	5	5	5		0.1	24781			336.21		16
19	OK	5	5	5	5		0.1	24816			336.21		27
20	OK	5	5	5	5		0.1	24832			336.21		20
21	OK	5	5	5	5		0.1	24856			336.21		23
22	OK	5	5	5	5		0.1	24886			336.21		30
23	OK	5	5	5	5		0.1	24914			336.21		42
24	OK	5	5	5	5		0.1	24933			336.51		37
25	OK	5	5	5	5		0.1	24958			336.51		46
26	NT	4	4	4	4		0.1	24982			336.51		45
27	OK	4	4	4	4		0.1	25009			336.51		48
28	OK	4	4	4	4		0.1	25030			336.51		39
29	OK	4	4	4	4		0.1	25058			336.51		39
30	OK	4	4	4	4		0.1	25082			337.21		37
31	OK	4	4	4	4	4000	0.1	25103			337.21		36

**VALLEY GREEN WWTP**

**Worcester**

**NPDES PERMIT # PA0050939**

**January Year: 2024**

**Aeration Ditches 1 & 2**

#3

DAY	Sode Ash Usage				Location: Inf Wet Well - Inf Pumps				Main Blower 1	PSI	Main Blower 2.0	PSI	EQ Blower	PSI	Post	
	Side 1	Side 2	Side 3	Side 4	Pump 1	D/H	Pump 2	D/H							Aeration Blower	PSI
1	25	25	25	25	8158.5	3.9	6789.9	2.9	52117.9	0.0	32388.1	9.4	71592.7	10.0	66920.4	2.0
2	25	25	25	25	8162.4	3.5	6792.8	2.7	52117.9	0.0	32413.6	9.4	71592.7	9.8	66946.0	2.0
3	25	25	25	25	8165.9	2.6	6795.5	2.2	52117.9	0.0	32436.9	9.4	71592.7	9.8	66969.3	2.0
4	25	25	25	25	8168.5	3.6	6797.7	2.8	52117.9	0.0	32459.0	9.8	71592.7	10.2	66991.4	2.0
5	25	25	25	25	8172.1	3.8	6800.5	3.2	52117.9	0.0	32485.5	10.0	71592.7	10.4	67017.8	2.0
6	25	25	25	25	8175.9	2.7	6803.7	2.1	52117.9	0.0	32509.2	10.0	71592.7	10.2	67041.7	2.0
7	25	25	25	25	8178.6	5.2	6805.8	3.7	52117.9	0.0	32521.8	10.0	71592.7	10.0	67054.2	2.0
8	25	25	25	25	8183.8	3.9	6809.5	3.0	52117.9	0.0	32553.5	9.8	71592.7	10.0	67085.9	2.0
9	25	25	25	25	8187.7	6.1	6812.5	6.7	52117.9	0.0	32581.0	9.8	71592.7	10.0	67113.4	2.0
10	25	25	25	25	8193.8	7.6	6819.2	5.4	52117.9	0.0	32587.1	9.2	71592.7	10.0	67127.6	2.0
11	25	25	25	25	8201.4	3.2	6824.6	2.5	52117.9	0.0	32611.3	9.8	71592.7	10.0	67160.6	2.0
12	25	25	25	25	8204.6	5.5	6827.1	4.4	52117.9	0.0	32631.9	9.8	71592.7	10.0	67183.8	2.0
13	50	50	50	50	8210.1	4.2	6831.5	3.5	52117.9	0.0	32655.6	9.8	71592.7	10.0	67207.7	2.0
14	50	50	50	50	8214.3	3.7	6835.0	3.1	52117.9	0.0	32681.5	9.8	71592.7	10.0	67233.5	2.0
15	25	25	25	25	8218.0	3.0	6838.1	2.6	52117.9	0.0	32703.3	9.8	71592.7	10.0	67256.7	2.0
16	25	25	25	25	8221.0	4.8	6840.7	4.1	52117.9	0.0	32722.0	9.8	71592.7	10.0	67276.9	2.0
17	25	25	25	25	8225.8	1.8	6844.8	1.6	52117.9	0.0	32757.1	9.8	71592.7	10.0	67306.1	2.0
18	25	25	25	25	8227.6	4.4	6846.4	3.6	52117.9	0.0	32762.8	10.0	71592.7	10.0	67317.7	2.0
19	25	25	25	25	8232.0	4.0	6850.0	3.2	52117.9	0.0	32797.4	9.8	71592.7	10.0	67352.3	2.0
20	50	50	50	50	8236.0	3.3	6853.2	2.8	52117.9	0.0	32822.3	9.8	71592.7	10.0	67373.2	2.0
21	50	50	50	50	8239.3	3.8	6856.0	2.9	52117.9	0.0	32844.6	9.8	71592.7	10.0	67394.5	2.0
22	25	25	25	25	8243.1	3.7	6858.9	3.0	52117.9	0.0	32867.9	10.2	71592.7	10.4	67422.8	2.0
23	25	25	25	25	8246.8	2.8	6861.9	2.2	52117.9	0.0	32895.7	10.0	71592.7	10.2	67450.6	2.0
24	25	25	25	25	8249.6	3.7	6864.1	3.0	52117.9	0.0	32915.6	9.8	71592.7	10.2	67470.5	2.0
25	25	25	25	25	8253.3	4.4	6867.1	3.4	52117.9	0.0	32939.4	9.8	71592.7	10.2	67494.3	2.0
26	25	25	25	25	8257.7	4.9	6870.5	3.6	52117.9	0.0	32963.3	9.8	71592.7	10.0	67518.2	2.0
27	25	25	25	25	8262.6	4.0	6874.1	2.7	52117.9	0.0	32990.8	9.8	71592.7	10.0	67545.8	2.0
28	25	25	25	25	8266.6	8.0	6876.8	4.9	52117.9	0.0	33009.1	9.8	71592.7	10.0	67566.4	2.0
29	25	25	25	25	8274.6	3.6	6881.7	3.0	52117.9	0.0	33030.2	9.8	71592.7	10.0	67594.7	2.0
30	25	25	25	25	8278.2	3.9	6884.7	3.0	52117.9	0.0	33052.4	9.8	71592.7	10.0	67617.6	2.0
31	25	25	25	25	8282.1	2.7	6887.7	2.2	52117.9	0.0	33071.2	9.8	71592.7	10.0	67639.7	2.0

**VALLEY GREEN WWTP DITCHES 1 & 2**

**Worcester**

**NPDES PERMIT # PA0050939**

**Month: January**

**Year:**

**2024**

**#1**

**DEC = Decanting**

DAY	Blower		Blower		Blower		Blower		Compressor	Filter Clearwell Lift Pumps			
	1	PSI	2	PSI	3	PSI	4	PSI		1	D/H	2	D/H
1	2186.7	9.4	2186.1	8.0	1356.4	8.6	2185.9	4.6			0.0		0.0
2	2212.2	9.2	2211.6	7.8	1358.4	0.0	2211.4	4.6			0.0		0.0
3	2235.5	9.2	2234.9	7.8	1358.4	0.0	2234.7	4.6			0.0		0.0
4	2257.6	9.2	2257.0	8.0	1358.4	7.0	2256.8	4.6			0.0		0.0
5	2283.6	9.2	2283.3	8.0	1384.7	7.0	2283.1	4.6			0.0		0.0
6	2302.6	9.2	2307.3	8.0	1408.7	7.2	2307.1	4.6			0.0		0.0
7	2320.1	9.2	2319.8	8.0	1421.2	7.0	2319.9	4.6			0.0		0.0
8	2351.8	9.0	2351.5	8.0	1452.9	7.6	2351.3	4.6			0.0		0.0
9	2379.2	9.0	2378.9	8.0	1480.3	7.6	2378.8	4.6			0.0		0.0
10	2394.2	8.6	2393.9	7.8	1495.3	7.6	2393.7	4.6			0.0		0.0
11	2427.2	8.8	2426.9	7.8	1528.3	7.6	2426.8	4.6			0.0		0.0
12	2450.4	9.0	2450.1	8.0	1528.3	0.0	2449.9	4.6			0.0		0.0
13	2474.2	9.0	2473.9	8.0	1528.3	0.0	2473.7	4.6			0.0		0.0
14	2500.2	9.0	2499.9	8.0	1528.3	0.0	2499.7	4.6			0.0		0.0
15	2523.3	9.0	2523.0	8.0	1528.3	0.0	2522.8	4.6			0.0		0.0
16	2543.5	9.2	2543.2	8.2	1528.3	0.0	2543.1	4.6			0.0		0.0
17	2572.6	9.2	2572.3	8.0	1533.5	7.0	2572.1	4.6			0.0		0.0
18	2584.3	9.2	2584.0	8.0	1545.2	7.2	2583.8	4.6			0.0		0.0
19	2618.8	9.2	2618.6	8.0	1579.7	7.0	2618.4	4.6			0.0		0.0
20	2643.7	9.2	2643.4	8.0	1604.1	7.0	2643.7	4.6			0.0		0.0
21	2666.1	9.2	2665.8	8.0	1625.3	7.0	2665.5	4.6			0.0		0.0
22	2689.4	9.4	2689.1	8.0	1650.3	7.2	2688.9	4.6			0.0		0.0
23	2712.1	9.2	2716.8	8.0	1678.0	7.0	2716.8	4.6			0.0		0.0
24	2736.1	9.4	2735.8	8.0	1697.0	7.6	2735.7	4.6			0.0		0.0
25	2760.8	9.2	2760.5	8.0	1721.7	7.8	2760.3	4.6			0.0		0.0
26	2784.7	9.2	2784.4	8.0	1745.6	7.6	2784.2	4.6			0.0		0.0
27	2812.2	9.2	2812.0	8.0	1745.6	0.0	2811.8	4.6			0.0		0.0
28	2832.9	9.2	2832.6	8.0	1745.6	0.0	2832.4	4.6			0.0		0.0
29	2861.2	9.2	2860.9	8.0	1745.6	0.0	2860.8	4.6			0.0		0.0
30	2884.1	9.2	2883.8	8.0	1757.1	7.6	2883.6	4.6			0.0		0.0
31	2906.2	9.2	2905.9	8.0	1765.1	7.4	2905.8	4.6			0.0		0.0





**TOWNSHIP OF WORCESTER  
MONTGOMERY COUNTY, PENNSYLVANIA**

**ORDINANCE 2024-297**

**AN ORDINANCE AMENDING CHAPTER 41 OF THE TOWNSHIP CODE**

**WHEREAS**, from time to time, additions and other revisions are required to be made to Township Code of Worcester Township; and,

**WHEREAS**, the Township desires to make additions to Chapter 41, Fire Prevention, of the Township Code;

**NOW, THEREFORE**, the Board of Supervisors of Worcester Township, Montgomery County, Pennsylvania hereby ordains and enacts as follows:

**SECTION I**

1. Chapter 41, Fire Prevention, §41-5 shall be added, and shall read as follows:

Fire Hydrant Specifications and Color-Coding Standards:

- A. All fire hydrants shall have national standard threads and be approved by the Fire Marshal.
- B. All fire hydrants shall comply with the color-coding requirements established by the Fire Marshal, as follows:
  - 1) Fire hydrants connected to water supplies shall be painted red or white with the bonnet (top portion) color coded to identify the diameter of the water main feeding the hydrant as follows:
    - i) Bonnets shall be painted red for fire hydrants connected to water mains 4-inches in diameter.
    - ii) Bonnets shall be painted orange for fire hydrants connected to water mains 6-inches in diameter.
    - iii) Bonnets shall be painted yellow for fire hydrants connected to water mains 8-inches in diameter.
    - iv) Bonnets shall be painted green for fire hydrants connected to water mains 12-inches in diameter.
    - v) Bonnets shall be painted blue for fire hydrants connected to water mains 16-inches in diameter.
    - vi) Hydrant barrels shall be painted red or white unless otherwise approved by the Township Fire Marshal.

**SECTION II**

1. In the event that any section, subsection or portion of this Ordinance shall be declared by any competent court to be invalid for any reason, such decision shall not be deemed to affect the validity of any other section, subsection or portion of this Ordinance. The invalidity of section, clause, sentence, or provision of this Ordinance shall not affect the validity of any other part of this Ordinance, which can be given effect without such invalid part or parts. It is hereby declared to be the intention of the Township that this Ordinance would have been adopted had such invalid section, clause, sentence, or provision not been included therein.
2. To the extent this Ordinance is inconsistent with the Code of Worcester Township, the provisions of this Ordinance shall take precedence. All Ordinances or parts of Ordinances in conflict herewith are hereby repealed.
3. The failure of the Township to enforce any provision of this ordinance shall not constitute a waiver by the Township of its rights of future enforcement hereunder.
4. This Ordinance shall become effective immediately upon enactment.

**ENACTED AND ORDAINED** by the Supervisors of the Township of Worcester, Montgomery County, Pennsylvania on this 20th day of March 2024.

**FOR WORCESTER TOWNSHIP**

By: \_\_\_\_\_  
Richard DeLello, Chair  
Board of Supervisors

Attest: \_\_\_\_\_  
Sean Halbom, Secretary